BIJOA

The Biochemical Journal

MAR 1 6 1972

INDEX TO VOLUME 130

London: The Biochemical Society © 1972

Price 20p. net (U.S.A. $0.50)

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1972–73

Chairman of the Committee
T. W. Goodwin, F.R.S.

Treasurer
D. F. Elliott

Committee Secretary
A. N. Davison

Meetings Secretary
H. M. Keir

International Secretary
A. P. Mathias

Committee
R. B. Beechey
E. A. Dawes
R. M. C. Dawson
D. T. Elmore
K. Griffiths
R. Hoffenberg*‡
G. D. Hunter
V. H. T. James
C. F. Mills
C. A. Pasternak†
P. J. Randle
D. S. Robinson†
T. A. Scott
T. F. Slater
Ruth E. van Heyningen
D. G. Walker*†
A. M. White
T. S. Work

**Ex officio* Member of Committee

†Representative of Editorial Board of the *Biochemical Journal.*

‡Representative of Editorial Board of *Clinical Science.*

Symposium Organizer
R. M. S. Smellie

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. Eleven meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076(4 lines)].

The *Biochemical Journal* is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. It is planned that five volumes will appear in 1972. The index for each volume is published separately.

Subscriptions to the *Biochemical Journal*. For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £45 per year (£9 per volume). For non-members in the U.S.A. the subscription is $112 per year (subject to exchange variation) ($22.50 per volume). All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), P.O. Box 32, Commerce Way, Whitehall Road Industrial Estate, Colchester CO2 8HP, Essex.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims can be entertained if they are received later than three months after the date of posting of the Journal.

Back Numbers. Enquiries for volumes 1–19 should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts may be obtained on application to The Biochemical Society (Publications), P.O. Box 32, Commerce Way, Whitehall Road Industrial Estate, Colchester CO2 8HP, Essex.

Advertisements. Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London WC1R 5DP [01-242 1076 (4 lines)]. Copy is required eight weeks before publication date. Rate cards are available on request.

Microfilms. Volumes 1–89 (1906–1963) have been recorded on microfilm by the EP Group, Microfilm Division, Bradford Road, East Ardsley, Wakefield, Yorks. Details are available from the firm or the Biochemical Society.

The Biochemical Journal

The BIOCHEMICAL JOURNAL

Volume 130 1972

EDITORIAL BOARD

Chairman
D. G. Walker

Deputy Chairmen
D. S. Robinson
M. J. Crumpton
C. A. Pasternak
H. B. F. Dixon

Editorial Secretary
J. D. Killip

R. H. Burdon
M. Cannon
R. A. Cox
J. E. Cremer
J. T. Dingle
D. C. Ellwood
P. B. Garland
N. M. Green*
J. J. Holbrook
M. R. Hollaway
R. C. Hughes
K. M. Jones
J. D. Judah
A. E. Kellie
U. E. Loening
P. N. Magee
R. D. Marshall
P. A. Mayes

J. H. Moore
K. Murray
A. C. T. North*
R. E. Offord
D. V. Parke
R. N. Perham
H. R. Perkins
G. K. Radda
R. Rodnight
A. P. Ryle
J. R. Tata
P. K. Tubbs
D. C. Watts
F. R. Whatley
D. H. Williamson

*Nominated by the British Biophysical Society

BS London : The Biochemical Society

Published by
THE BIOCHEMICAL SOCIETY, 7 WARWICK COURT, LONDON WC1R 5DP

Printed in Great Britain by William Clowes & Sons Limited,
London, Colchester and Beccles

Index of Authors

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P.

ABE, H. *see* TAMIYA, N. 547–555

ADLARD, B. P. F., DOBBING, J., LYNCH, A., BALÁZS, R. & REYNOLDS, A. P. Effect of undernutrition in early life on glutamate decarboxylase activity in the adult brain 12P

AHKONG, Q. F., CRAMP, F. C., FISHER, D., HOWELL, J. I., TAMPION, W. & LUCY, J. A. The fusion of hen erythrocytes by non-ionic surface-active adjuvants 44P–45P

AHKONG, Q. F. *see also* HOWELL, J. I. 44P

AIRAS, R. K. Thermal inactivation and reactivation of an enzyme *in vivo*. Pantothenate hydrolase of *Pseudomonas fluorescens* 111–119

AITKEN, D. M. & BROWN, A. D. Properties of halophil nicotinamide–adenine dinucleotide phosphate-specific isocitrate dehydrogenase. True Michaelis constants, reaction mechanisms and molecular weights 645–662

ALBERTI, K. G. M. M. *see* RECORD, C. O. 37–44

ALLEN, A. K. & NEUBERGER, A. The purification and some properties of wheat-germ agglutinin 35P

ALLEN, M. B. & BLAIR, J. McD. The regulation of rabbit liver fructose 1,6-diphosphatase activity by phospholipids *in vitro* 1167–1169

AL-SARRAJ, S. M. *see* BECKETT, A. H. 14P

ANDREWS, P. *see* KITCHEN, B. J. 80P

ANNISON, E. F. *see* BICKERSTAFFE, R. 607–617

ANTHONY, C. & DUNSTAN, P. M. A novel pathway for bacterial growth on malonate and β-hydroxybutyrate 30P–31P

ANTHONY, C. *see also* DUNSTAN, P. M. 31P

APPS, D. K. *see* OTTAWAY, J. H. 861–870

ARCHIBALD, A. R. & STAFFORD, G. H. A polymer of *N*-acetylglucosamine 1-phosphate in the wall of *Staphylococcus lactis* 2102 681–690

ARCHIBALD, A. R. *see also* DUCKWORTH, M. 691–696

ARMSTRONG, S. J. *see* HASTIE, N. D. 28P–29P

ARNOTT, S. & HUKINS, D. W. L. The dimensions and shapes of the furanose rings in nucleic acids 453–465

ASHTON, I. K. *see* JONES, C. T. 23P–24P

ATKIN, S. D., MORGAN, B., BAGGALEY, K. H. & GREEN, J. The isolation of 2,3-oxidosqualene from the liver of rats treated with 1-dodecylimidazole, a novel hypocholesterolaemic agent 153–157

AVERY, M. D. *see* MITROPOULOS, K. A. 363–371

BADDILEY, J. *see* DUCKWORTH, M. 691–696; WATSON, M. J. 45–54

BAGGALEY, K. H. *see* ATKIN, S. D. 153–157

BAISTED, D. J. *see* GREEN, T. R. 983–995

BALÁZS, R. *see* ADLARD, B. P. F. 12P

BALDRY, C. W. *see* COOMBS, J. 25P

BANTHORPE, D. V. & LE PATOUREL, G. N. J. The biosynthesis of (+)-α-pinene in *Pinus* species 1055–1061

BANTHORPE, D. V., LE PATOUREL, G. N. J. & FRANCIS, M. J. O. Biosynthesis of geraniol and nerol and their β-D-glucosides in *Pelargonium graveolens* and *Rosa dilecta* 1045–1054

BARKER, G. *see* HAMADAH, K. 15P

BARKER, L. A., DOWDALL, M. J. & WHITTAKER, V. P. Choline metabolism in the cerebral cortex of guinea pigs. Stable-bound acetylcholine 1063–1080

BARKER, L. A. *see also* DOWDALL, M. J. 1081–1094

BARRA, D. *see* DOONAN, S. 443–452

BARROW, A. *see* GRIFFITHS, L. A. 1161–1162

BARRY, J. M. *see* BILLETT, M. A. 10P–11P

BARTLEY, J. C. *see* WERNER, H. V. 1153–1155

BARTLEY, W. & BROOMHEAD, V. M. The effect of oxygen concentration of the growth and metabolism of *Saccharomyces cerevisiae* grown with excess of potassium or in potassium-deficient media 251–258

BECKETT, A. H. & AL-SARRAJ, S. M. The metabolism of (+)- and (−)-amphetamine and (+)- and (−)-dimethylamphetamine in rabbits *in vivo* 14P

BECKETT, A. H. *see also* DAJANI, R. M. 88P; GORROD, J. W. 13P

BERGNER, P.-E. E. *see* GRADIJAN, J. R. 1075–1080

BERRY, M. N. *see* WERNER, H. V. 1153–1155

BESSELL, E. M. & THOMAS, P. The deoxyfluoro-D-glucopyranose 6-phosphates and their effect on yeast glucose phosphate isomerase 20P–21P

BESSELL, E. M. *see also* THOMAS, P. 21P

BEST, R. *see* ROBISCH, P. A. 33P–34P

BHAT, J. V. *see* NAMBUDIRI, A. M. D. 425–433

BICKERSTAFFE, R., NOAKES, D. E. & ANNISON, E. F. Quantitative aspects of fatty acid biohydrogenation, absorption and transfer into milk fat in the lactating goat, with special reference to the *cis*- and *trans*-isomers of octadecenoate and linoleate 607–617

BIDSTRUP, P. L. Clinical symptoms of mercury poisoning in man 59P–61P

BIHLER, D. A. & MORRIS, J. W. S. Preparation and properties of [monoiodotyrosine]-insulin 321–324

BILLETT, M. A. & BARRY, J. M. Role of proteins in the condensation of hen erythrocyte chromatin 10P–11P

BIRCH, M., BRITTON, H. G. & CLARKE, J. B. Phosphoenzyme formation involving serine with phosphoglucomutase from *Micrococcus lysodeikticus* 7P–8P

BLACKLEDGE, A. *see* HOGAN, B. 78P–79P

BLAIR, J. McD. *see* ALLEN, M. B. 1167–1169

BLAU, K. *see* EDWARDS, D. J. 495–503

BOLDINGH, J. *see* GARSSEN, G. J. 435–442

BONNETT, R. & STEWART, J. C. M. Singlet oxygen in the photo-oxidation of bilirubin in hydroxylic solvents 895–897

BOOTH, R., GREGORY, K. W. & SMITH, C. Z. Evidence that the diurnal variation in rat liver 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity is initiated by feeding 72P–73P

BOOTH, R. *see also* GREGORY, K. W. 1163–1165

BOSSA, F. *see* DOONAN, S. 443–452

BOURNE, R. A., BRYANT, J. A., GRIERSON, D. & FALCONER, I. R. Prolactin-stimulated deoxyribonucleic acid synthesis in rabbit mammary tissue 10P

BOWLES, D. J. & NORTHCOTE, D. H. The sites of synthesis and transport of extracellular polysaccharides in the root tissues of maize 1133–1145

BRAUN, D. G. *see* JATON, J.-C. 539–546

BRAUNSBERG, H., KILLEN, E. & RICHARDSON, S. G. The effect of thiols on oestradiol binding by components of human malignant breast tumours 38P

BRAY, R. C. *see* LOWE, D. J. 239–249; SMITH, B. E. 641–643

BRENTANI, M., KUBOTA, M. & BRENTANI, R. Studies on the secondary structure of nuclear ribonucleic acids 11–17

BRENTANI, R. *see* BRENTANI, M. 11–17

BREW, K., FINDLAY, J. B. C. & KHATRA, B. S. The structure and regulation of the lactose synthetase system 2P–3P

BRIDGES, J. W. *see* BURKE, M. D. 70P–71P, 71P–72P, 72P; WILSON, A. G. E. 85P

BRINDLEY, D. N. *see* MANNING, R. 1003–1012

BRITTON, H. G. & CLARKE, J. B. Mechanism of the 2,3-diphosphoglycerate-dependent phosphoglycerate mutase from rabbit muscle 397–410

BRITTON, H. G. *see also* BIRCH, M. 7P–8P

BROOMHEAD, V. M. *see* BARTLEY, W. 251–258

BROWN, A. D. *see* AITKEN, D. M. 645–662

BROWNSON, C. & SPENCER, N. Kinetic studies on the two common inherited forms of human erythrocyte adenylate kinase 805–811

BROWNSON, C. & SPENCER, N. Partial purification and properties of the two common inherited forms of human erythrocyte adenylate kinase 797–803

BRUCE-ROBERTSON, A. *see* JEEJEEBHOY, K. N. 533–538

BRYANT, J. A. *see* BOURNE, R. A. 10P

BRYCE, C. F. A. *see* CRICHTON, R. R. 36P

BUCHANAN, J. G. *see* WATSON, M. J. 45–54

BUCKE, C. *see* COOMBS, J. 25P

BUNYAN, J. *see* SHAH, P. P. 467–473

BURGOYNE, L. A. Deoxyribonucleic acid synthesis in mammalian systems. Permealysed Ehrlich ascites cells *in vitro* first label Okazaki-type low-molecular-weight deoxyribonucleic acid and then high-molecular-weight deoxyribonucleic acid 959–964

BURKE, M. D. & BRIDGES, J. W. The influence of storage conditions on microsomal drug-metabolizing activity 71P–72P

BURKE, M. D. & BRIDGES, J. W. The influence of Tween 80 on the metabolism of microsomal biphenyl oxygenases 70P–71P

BURKE, M. D., LAKE, B. G., TREDGER, J. M., CHAKRABORTY, J. & BRIDGES, J. W. Daily rhythmic variations in hamster liver drug metabolism and associated parameters 72P

BUSWELL, J. A. Metabolism of piperonylate by *Pseudomonas fluorescens* 32P–33P

BUTLER, W. H. Pathological effects of mercury 61P

CAIN, R. B. *see* HOUGHTON, C. 879–893

CAMPBELL, A. K. & SIDDLE, K. The effect of glucagon on adenosine 3′:5′-cyclic monophosphate concentrations in an organ culture of adult rat liver 15P–16P

CAMPBELL, A. M. *see* JOLLY, D. J. 1019–1028

CANDY, D. J. *see* FORD, W. C. L. 1101–1112

CAREY, N. H., HOBBS, J. R. W. & COOK, E. A. The structure of ribosomes as indicated by studies on tetramers from hypothermic chick embryos 871–877

CARLONI, M. *see* DOONAN, S. 443–452

CARTLEDGE, T. G., LLOYD, D., ERECIŃSKA, M. & CHANCE, B. The development of the respiratory chain of *Saccharomyces carlsbergensis* during respiratory adaptation 739–747

CASSELDEN, R. J. *see* WOOLFORD, G. 82P–83P

CATER, B. R. & HALLINAN, T. Increased phospholipid depletion alters the apparent specificity of phospholipid-dependence of glucose 6-phosphatase activity 7P

CHAKRABORTY, J., HOPKINS, R. & PARKE, D. V. Inhibition studies on the aromatization of androst-4-ene-3,17-dione by human placental microsomal preparations 19P–20P

CHAKRABORTY, J. *see also* BURKE, M. D. 72P; HUMPHREY, M. J. 87P–88P

CHALMERS, J. G. Stimulation of tryptophan metabolism in the rat by 4-dimethylamino-3′-methylazobenzene and 2-acetamidofluorene 74P

CHANCE, B. *see* CARTLEDGE, T. G. 739–747

CHAPLIN, M. F. *see* KENNEDY, J. F. 417–423

CHESTERS, J. K. The role of zinc ions in the transformation of lymphocytes by phytohaemagglutinin 133–139

CHOW, C. *see* VISENTIN, L. P. 103–110

CHYTIL, F. *see* GLASSER, S. R. 947–957

CLARKE, J. B. *see* BIRCH, M. 7P–8P; BRITTON, H. G. 397–410

CLARKE, N. & DAWSON, R. M. C. Localization of D-*myo*inositol 1:2-cyclic phosphate 2-phosphohydrolase in rat kidney 229–238

CLARKE, P. H. Induction of bacterial enzymes 47P–48P

CLARKSON, T. W. The biological properties and distribution of mercury 61P–63P

COHEN, P. Activation and phosphorylation of the subunits of phosphorylase kinase 5P–6P

COOK, E. A. *see* CAREY, N. H. 871–877

COOMBS, J., BALDRY, C. W. & BUCKE, C. Metabolic regulation in the C_4 dicarboxylic acid pathway of photosynthesis 25P

COON, H. G. *see* GELBOIN, H. V. 48P

CORNISH-BOWDEN, A. J. Analysis of progress curves in enzyme kinetics 637–639

COSSINS, E. A. *see* LOR, K. L. 773–783

COWIE, A. T. *see* JONES, E. A. 997–1002

COX, P. J., KING, L. J. & PARKE, D. V. A comparison of the interactions of trichlorofluoromethane and carbon tetrachloride with hepatic cytochrome *P*-450 87P

COX, P. J., KING, L. J. & PARKE, D. V. A study of the possible metabolism of trichlorofluoromethane 13P–14P

CRABTREE, B., HIGGINS, S. J. & NEWSHOLME, E. A. The activities of pyruvate carboxylase, phosphoenolpyruvate carboxylase and fructose diphosphatase in muscles from vertebrates and invertebrates 391–396

CRABTREE, B. & NEWSHOLME, E. A. The activities of lipases and carnitine palmitoyltransferase in muscles from vertebrates and invertebrates 697–705

CRAMP, F. C. *see* AHKONG, Q. F. 44P–45P; HOWELL, J. I. 44P

CRAMPTON, R. F. *see* GRAY, T. J. B. 91P–92P

CREAGHAN, I. T. *see* GUEST, J. R. 8P

CRICHTON, R. R. Intermediates in the reversible dissociation of apoferritin 35P–36P

CRICHTON, R. R. & BRYCE, C. F. A. The catalytic activity of apoferritin 36P

CRIPPS, R. E. & NOBLE, A. S. The microbial metabolism of nitrilotriacetate 31P–32P
CROFT, L. R. Isolation of a zinc protein from the tapetum lucidum of the cat 303–305
CRUICKSHANK, W. H. & KAPLAN, H. A competitive labelling method for determining the ionization constants and reactivity of individual histidine residues in proteins. The histidines of α-chymotrypsin 1125–1131
CURTIS, C. G. *see* THOMAS, J. H. 81P
CURZON, G. Enzyme activity changes relevant to the control of tryptophan metabolism 50P–52P

DAJANI, R. M., GORROD, J. W. & BECKETT, A. H. Hepatic and extrahepatic reduction of nicotine 1′-*N*-oxide in rats 88P
DALZIEL, K. *see* D'ERIL, G. M. 3P
DANIEL, J. W. The biotransformation of organomercury compounds 64P–65P
DANSON, M. J. & WEITZMAN, P. D. J. Functional groups in the catalysis and regulation of *Escherichia coli* citrate synthase 38P–39P
DAWSON, A. G. Preparation and some properties of a suspension of fragmented tubules from rat kidney 525–532
DAWSON, R. M. C. *see* CLARKE, N. 229–238; KEMP, P. 221–227
DE LUCCA, F. L. & IMAIZUMI, M. T. Synthesis of ribonucleic acid in the venom gland of *Crotalus durissus terrificus* (Ophidia, Reptilia) after manual extraction of the venom 335–342
DE MATTEIS, F. The effects of drugs on the activities of 5-aminolaevulinate synthetase and other enzymes in the pathway of haem biosynthesis 52P–53P
DEAN, P. M. *see* MATTHEWS, E. K. 825–832
D'ERIL, G. M & DALZIEL, K. Negative co-operativity in glutamate dehydrogenase: coenzyme-binding studies 3P
DEY, P. M., RACHED, I. R. & WALLENFELS, K. A simple method for the determination of the endo or exo nature of carbohydrases acting on polymeric substrates 39P–40P
DIPLOCK, A. T. *see* JEFFERY, E. H. 12P–13P
DIXON, H. B. F. The preparation of *N*-(*o*-aminophenyl)-aminomethanephosphonic acid 317
DOBBING, J. *see* ADLARD, B. P. F. 12P
DOONAN, H. J. *see* DOONAN, S. 443–452
DOONAN, S., DOONAN, H. J., RIVA, F., VERNON, C. A., WALKER, J. M., BOSSA, F., BARRA, D., CARLONI, M. & FASELLA, P. The primary structure of aspartate aminotransferase from pig heart muscle. Partial sequences determined by digestion with pepsin and trypsin 443–452
DOWDALL, M. J., BARKER, L. A. & WHITTAKER, V. P. Choline metabolism in the cerebral cortex of guinea pigs. Phosphorylcholine and lipid choline 1081–1094
DOWDALL, M. J. *see also* BARKER, L. A. 1063–1080
DRABBLE, W. T. *see* LAMBDEN, P. R. 29P
DREWES, S. E. *see* SUTTON, D. A. 589–595
DREWRY, D. T., GRAY, G. W. & WILKINSON, S. G. Low-molecular-weight solutes released during mild acid hydrolysis of the lipopolysaccharide of *Pseudomonas aeruginosa*. Identification of ethanolamine triphosphate 289–295
DRUMMOND, A. H., MCCALL, J. M. & JONDORF, W. R. Some factors affecting liver microsomal drug metabolism in the chicken 73P–74P
DUCKWORTH, M., ARCHIBALD, A. R. & BADDILEY, J. The location of *N*-acetylgalactosamine in the walls of *Bacillus subtilis* 168 691–696
DUNSTAN, P. M. & ANTHONY, C. Microbial growth on C_1 and C_2 compounds: the metabolism of acetate to glycine in *Pseudomonas* AM1 31P
DUNSTAN, P. M. *see also* ANTHONY, C. 30P–31P
DYKES, P. J. *see* GORDON, A. H. 95–101

EDWARDS, D. J. & BLAU, K. Aromatic acids derived from phenylalanine in the tissues of rats with experimentally induced phenylketonuria-like characteristics 495–503
EGAN, A. F. & GIBSON, F. Anthranilate synthase/anthranilate–5-phosphoribosyl 1-pyrophosphate phosphoribosyltransferase from *Aerobacter aerogenes* 847–859
EIKA, C. *see* FLENGSRUD, R. 899–900
EISENTHAL, R., HARRISON, R., LLOYD, W. J. & TAYLOR, N. F. Activity of fluoro and deoxy analogues of glycerol as substrates and inhibitors of glycerol kinase 199–205
ELLAR, D. J. & POSGATE, J. A. Peptidoglycan-lytic system associated with mesosomal membranes from *Micrococcus lysodeikticus* 41P
ELLEMAN, T. C. The amino acid sequence of protein SCMK-B2A from the high-sulphur fraction of wool keratin 833–845
ELLIOTT, D. C. & MURRAY, A. W. A quantitative limit for cytokinin incorporation into transfer ribonucleic acid by soya-bean callus tissue 1157–1160
ELLIS, D. A. & STRICKLAND, J. M. Differences in the metabolism of glucose between normal and dystrophic human muscle 17P–18P
ELLIS, R. J. & FORRESTER, E. E. The function of chloroplast ribosomes 28P
ELLIS, R. J. *see also* HARTLEY, M. R. 27P–28P
EL-TAYEB, I. B. *see* FRANKLIN, C. 90P–91P
ELTON, G. A. H. *see* TOLAN, A. 69P–70P
ENGEL, P. C. The interpretation of abrupt transitions in Lineweaver–Burk plots 42P–43P
ENGLISH, P. D. *see* SHAH, P. P. 467–473
ERECIŃSKA, M. *see* CARTLEDGE, T. G. 739–747
EVANS, R. J. *see* MATTHEWS, E. K. 825–832
EVANS, W. C. *see* JEFFREY, A. M. 373–381, 383–390
EVANS, W. H. *see* GURD, J. W. 271–280
EVERED, D. F. Permeability of human buccal mucosa to an amino acid analogue, the antibiotic D-cycloserine 16P

FALCONER, I. R. *see* BOURNE, R. A. 10P
FASELLA, P. *see* DOONAN, S. 443–452
FENN, R. H. & MARSHALL, G. E. The stereochemical structure of disodium DL-glycerol 3-phosphate hexahydrate, the D isomer of which is an inhibitor of triose phosphate isomerase 1–10
FEWSON, C. A. *see* LIVINGSTONE, A. 927–935, 937–946
FINDLAY, J. B. C. *see* BREW, K. 2P–3P
FISHER, D., LICHTI, F. U. & LUCY, J. A. Environmental effects on the autoxidation of retinol 259–270
FISHER, D. *see also* AHKONG, Q. F. 44P–45P; HOWELL, J. I. 44P
FITT, P. S. *see* SEE, Y. P. 343–353, 355–362
FLANAGAN, R. *see* MCCORMICK, J. I. 83P–84P

FLENGSRUD, R., EIKA, C. & PRYDZ, H. The effect of an inhibitor of the thrombin–fibrinogen reaction on thrombin-induced blood-platelet aggregation 899–900
FLICKINGER, R. A. & ROCHE, F. M. Effect of tri-iodothyronine on the transcription of deoxyribonucleic acids of different degrees of redundancy in frog larvae 319–320
FORD, W. C. L. & CANDY, D. J. The regulation of glycolysis in perfused locust flight muscle 1101–1112
FORRESTER, E. E. *see* ELLIS, R. J. 28P
FOWLER, L. J. & JOHN, R. A. Active-site-directed irreversible inhibition of 4-aminobutyrate aminotransferase by ethanolamine *O*-sulphate 80P–81P
FOWLER, L. J. & JOHN, R. A. Active-site-directed irreversible inhibition of rat brain 4-aminobutyrate aminotransferase by ethanolamine *O*-sulphate *in vitro* and *in vivo* 569–573
FRANCIS, M. J. O. *see* BANTHORPE, D. V. 1045–1054
FRANKLIN, C. & EL-TAYEB, I. B. Structure–activity relationships for the induction and inhibition of hepatic microsomal enzymes in the rat by organohalogen compounds 90P–91P
FRIEDEN, C. Mechanisms for the control of enzymic rates 1P
FROMM, H. J. *see* PURICH, D. L. 63–69

GARLAND, P. B. *see* LAWFORD, H. G. 1029–1044
GARSSEN, G. J., VLIEGENTHART, J. F. G. & BOLDINGH, J. The origin and structures of dimeric fatty acids from the anaerobic reaction between soya-bean lipoxygenase, linoleic acid and its hydroperoxide 435–442
GATES, R. J., HUNT, M. I., SMITH, R. & LAZARUS, N. R. Studies on implanted islets of Langerhans: normalization of blood glucose concentration, blood insulin concentration and weight gain in New Zealand obese mice 26P–27P
GELBOIN, H. V., WIEBEL, F. J. & COON, H. G. Analysis of microsomal hydroxylase induction in cell culture 48P
GIBB, W. & JEFFERY, J. A major influence of a 1α,2α-methylene group on reduction of a steroid 3-oxo group by two nicotinamide–adenine dinucleotide-linked 3-hydroxy steroid oxidoreductases 37P–38P
GIBB, W. & JEFFERY, J. Influence of a 17β-sulphate group on reduction of a steroid 3-oxo group by cortisone reductase 37P
GIBBONS, G. F. *see* MITROPOULOS, K. A. 363–371
GIBSON, F. *see* EGAN, A. F. 847–859
GLASSER, S. R., CHYTIL, F. & SPELSBERG, T. C. Early effects of oestradiol-17β on the chromatin and activity of the deoxyribonucleic acid-dependent ribonucleic acid polymerases (I and II) of the rat uterus 947–957
GORDON, A. H. & DYKES, P. J. α_1-Acute-phase globulins of rats. Microheterogeneity after isoelectric focusing 95–101
GORROD, J. W., LAZARUS, C. R. & BECKETT, A. H. Inhibition of the alternative pathways of chlorpromazine metabolism *in vitro* 13P
GORROD, J. W. *see also* DAJANI, R. M. 88P
GOSSELIN, L. The acylation of endogenous lysophospholipids in isolated rat liver microsomal fraction: influence of glutathione and ethylenediaminetetra-acetate on this process 43P
GOULD, B. J. *see* WOOLFORD, G. 82P–83P
GRADIJAN, J. R. & BERGNER, P.-E. E. A mathematical model of the acetylcholine compartments in synaptosomes. 1075–1080
GRAHAM, J. M. Isolation and characterization of membranes from normal and transformed tissue-culture cells 1113–1124
GRASSO, P. *see* GRAY, T. J. B. 91P–92P
GRAY, G. W. *see* DREWRY, D. T. 289–295
GRAY, T. J. B., PARKE, D. V., GRASSO, P. & CRAMPTON, R. F. Biochemical and pathological differences in hepatic response to chronic feeding of safrole and butylated hydroxytoluene to rats 91P–92P
GREEN, J. *see* ATKIN, S. D. 153–157
GREEN, N. M. & TOMS, E. J. The dissociation of avidin-biotin complexes by guanidinium chloride 707–711
GREEN, T. R. & BAISTED, D. J. Development of the activities of enzymes of the isoprenoid pathway during early stages of pea-seed germination 983–995
GREENGARD, O. Regulation of enzyme amounts in developing liver 48P–49P
GREGORY, K. W., SMITH, C. Z. & BOOTH, R. Diurnal variations in rat liver 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity in relation to feeding 1163–1165
GREGORY, K. W. *see also* BOOTH, R. 72P–73P
GRIERSON, D. *see* BOURNE, R. A. 10P
GRIFFITHS, L. A. & BARROW, A. Metabolism of flavonoid compounds in germ-free rats 1161–1162
GRIFFITHS, L. A. & SMITH, G. E. Metabolism of myricetin and related compounds in the rat. Metabolite formation *in vivo* and by the intestinal microflora *in vitro* 141–151
GRONOW, M. Changes in the composition of rat liver chromatin fractions during diethylnitrosamine carcinogenesis 11P
GUEST, J. R. & CREAGHAN, I. T. Lipoamide dehydrogenase mutants of *Escherichia coli* K12 8P
GUIOCHON, G. Gas–liquid chromatography in biochemical analysis: a review of recent trends in equipment 56P
GURD, J. W., EVANS, W. H. & PERKINS, H. R. The distribution of surface antigens during fractionation of mouse liver plasma membranes 271–280

HALES, C. N. *see* SIDDLE, K. 34P
HALLÉN, A. *see* WASTESON, Å. 729–738
HALLINAN, T. *see* CATER, B. R. 7P
HAMADAH, K., HOLMES, H., BARKER, G., HARTMAN, G. C. & PARKE, D. V. The effect of electro-convulsive therapy on the urinary excretion of adenosine 3′:5′-cyclic monophosphate 15P
HARPER, D. B. *see* SARI-ASLANI, F. S. 19P
HARRIS, J. I. *see* HOCKING, J. D. 24P–25P; KOLB, E. 26P
HARRISON, R. *see* EISENTHAL, R. 199–205
HARTLEY, M. R. & ELLIS, R. J. The synthesis of a discrete high-molecular-weight ribonucleic acid species by isolated chloroplasts 27P–28P
HARTMAN, G. C. *see* HAMADAH, K. 15P; MARKHAM, A. 90P
HARWOOD, J. L., SODJA, A. & STUMPF, P. K. Fat metabolism in higher plants. β-Hydroxylation of fatty acids by a soluble preparation from maturing avocado mesocarp 1013–1018

HASLEWOOD, E. S. & HASLEWOOD, G. A. D. Purification of bile salts on columns of Sephadex LH-20 89P
HASLEWOOD, G. A. D. *see* HASLEWOOD, E. S. 89P
HASTIE, N. D., ARMSTRONG, S. J. & MAHY, B. W. J. Effects of α-amanitin on protein and nucleic acid synthesis in chick-embryo fibroblast cells 28P–29P
HAY, J. *see* MELVIN, W. T. 77P–78P
HEALY, M. J. R. Statistical analysis of radioimmunoassay data 207–210
HEIBERG, R. *see* OLSNES, S. 297–299
HEMMERICH, P. *see* KUENZLE, C. C. 1147–1150
HEMMING, F. W. *see* RICHARDS, J. B. 77–93
HEMS, D. A. Metabolism of glutamine and glutamic acid by isolated perfused kidneys of normal and acidotic rats 671–680
HENNING, S. J. & HIRD, F. J. R. Ketogenesis from butyrate and acetate by the caecum and the colon of rabbits 785–790
HENNING, S. J. & HIRD, F. J. R. Transport of acetate and butyrate in the hind-gut of rabbits 791–796
HIGGINS, I. J. *see* SARI-ASLANI, F. S. 19P
HIGGINS, S. J. *see* CRABTREE, B. 391–396
HIRD, F. J. R. *see* HENNING, S. J. 785–790, 791–796
HO, J. *see* JEEJEEBHOY, K. N. 533–538
HOBBS, J. R. W. *see* CAREY, N. H. 871–877
HOCHBERG, A. A., STRATMAN, F. W., ZAHLTEN, R. N., MORRIS, H. P. & LARDY, H. A. Binding of rat liver and hepatoma polyribosomes to stripped rough endoplasmic reticulum *in vitro*. Biological or an artifact? 19–25
HOCKING, J. D. & HARRIS, J. I. Purification by affinity chromatography of thermostable glyceraldehyde 3-phosphate dehydrogenase from *Thermus aquaticus* 24P–25P
HOGAN, B. & BLACKLEDGE, A. The induction of ornithine decarboxylase in cultured hepatoma cells 78P–79P
HOLMES, H. *see* HAMADAH, K. 15P
HOPKINS, R. *see* CHAKRABORTY, J. 19P–20P
HOUGHTON, C. & CAIN, R. B. Microbial metabolism of the pyridine ring. Formation of pyridinediols (dihydroxypyridines) as intermediates in the degradation of pyridine compounds by micro-organisms 879–893
HOUSTON, J. B. *see* WILSON, A. G. E. 85P
HOWELL, J. I., AHKONG, Q. F., CRAMP, F. C., FISHER, D., TAMPION, W. & LUCY, J. A. Membrane fluidity and membrane fusion 44P
HOWELL, J. I. *see also* AHKONG, Q. F. 44P–45P
HUKINS, D. W. L. *see* ARNOTT, S. 453–465
HUMPHREY, M. J., LINDUP, W. E., PARKE, D. V. & CHAKRABORTY, J. The effect of carbenoxolone on the subcellular distribution of [^{3}H]aldosterone in rat kidney 87P–88P
HUNT, M. I. *see* GATES, R. J. 26P–27P
HUSKISSON, N. S. *see* WARD, P. F. V. 575–587

ILLINGWORTH, D. R. & PORTMAN, O. W. The uptake and metabolism of plasma lysophosphatidylcholine *in vivo* by the brain of squirrel monkeys 557–567
ILLINGWORTH, J. A. Analysis of enzyme mechanisms and metabolic pathways 45P
ILLINGWORTH, J. A. Some properties of yeast isocitrate dehydrogenase 3P–4P
IMAIZUMI, M. T. *see* DE LUCCA, F. L. 335–342

JANDA, J. Chemical and biological aspects of certain bacterial endotoxins 89P–90P
JANDA, J. Endotoxins in a lipopolysaccharide preparation and cell envelope of *Escherichia coli* 41P–42P
JATON, J.-C. & BRAUN, D. G. Amino acid sequence of the *N*-terminal sixty-nine residues of heavy chain derived from a homogeneous rabbit antibody 539–546
JEEJEEBHOY, K. N., BRUCE-ROBERTSON, A., HO, J. & SODTKE, U. The effect of cortisol on the synthesis of rat plasma albumin, fibrinogen and transferrin 533–538
JEFFERY, E. H. & DIPLOCK, A. T. Aminopyrine demethylase activity in normal and vitamin E-deficient male rats 12P–13P
JEFFERY, J. *see* GIBB, W. 37P, 37P–38P
JEFFREY, A. M., JERINA, D. M., SELF, R. & EVANS, W. C. The bacterial degradation of flavonoids. Oxidative fission of the A ring of dihydrogossypetin by a *Pseudomonas* sp. 383–390
JEFFREY, A. M., KNIGHT, M. & EVANS, W. C. The bacterial degradation of flavonoids. Hydroxylation of the A ring of taxifolin by a soil pseudomonad 373–381
JERINA, D. M. *see* JEFFREY, A. M. 383–390
JOHN, R. A. *see* FOWLER, L. J. 569–573, 80P–81P
JOHNSON, P. & SMILLIE, L. B. A proposed structure for *Streptomyces griseus* protease A 36P–37P
JOLLY, D. J. & CAMPBELL, A. M. Light-scattering studies on deoxyribonucleic acid flexibility. The solution properties of a small circular deoxyribonucleic acid molecule 1019–1028
JONDORF, W. R. *see* DRUMMOND, A. H. 73P–74P
JONES, C. T. Some properties of guinea-pig liver fructose 1,6-diphosphatase in relation to the control of gluconeogenesis 23P
JONES, C. T. & ASHTON, I. K. The development of some enzymes of gluconeogenesis in the liver and kidney of the foetal guinea pig 23P–24P
JONES, E. A. & COWIE, A. T. The effect of hypophysectomy and subsequent replacement therapy with sheep prolactin or bovine growth hormone on the lactose synthetase activity of rabbit mammary gland 997–1002
JONES, P. & MIDDLEMISS, D. N. Formation of Compound I by the reaction of catalase with peroxoacetic acid 411–415

KAPLAN, H. *see* CRUICKSHANK, W. H. 1125–1131
KAY, J. E. & LINDSAY, V. J. The induction of ornithine decarboxylase during lymphocyte stimulation by phytohaemagglutinin 78P
KEMP, M. B. D- and L-Lactate dehydrogenases of *Pseudomonas aeruginosa* 307–309
KEMP, P., DAWSON, R. M. C. & KLEIN, R. A. A new bacterial sphingophospholipid containing 3-aminopropane-1,2-diol 221–227
KENNEDY, J. F. & CHAPLIN, M. F. Structural investigation of the carbohydrate element of human pituitary follicle-stimulating hormone by methylation analysis 417–423
KENNEDY, S. I. T. *see* LIVINGSTONE, A. 927–935
KHATRA, B. S. *see* BREW, K. 2P–3P
KILLEN, E. *see* BRAUNSBERG, H. 38P
KING, L. J. *see* COX, P. J. 13P–14P, 87P

KITCHEN, B. J. & ANDREWS, P. Possible role of a thiol group in lactose synthetase A protein 80P
KITCHER, J. P., TRUDGILL, P. W. & REES, J. S. Purification and properties of 2-furoyl-coenzyme A hydroxylase from *Pseudomonas putida* F2 121–132
KLEIN, G. *see* ROGERS, M. E. 281–288
KLEIN, R. A. *see* KEMP, P. 221–227
KNIGHT, M. *see* JEFFREY, A. M. 373–381
KNOWLES, P. F. *see* TAYLOR, C. E. 713–728
KNOX, J. H. Equipment for high-pressure liquid chromatography 56P–57P
KOLB, E. & HARRIS, J. I. Purification and properties of glycolytic-cycle enzymes from coelacanth (*Latimeria chalumnae*) muscle 26P
KONCEWICZ, M. The presence of a sulphated polysaccharide in the cell envelopes of *Halobacterium halobium* 40P–41P
KOSTNER, G. Isolation and characterization of lipoprotein B from high-density human serum lipoproteins 913–917
KRISHNAKANTHA, T. P. & RAMAKRISHNA KURUP, C. K. Increase in hepatic catalase and glycerol phosphate dehydrogenase activities on administration of clofibrate and clofenapate to the rat 167–175
KUBOTA, M. *see* BRENTANI, M. 11–17
KUENZLE, C. C., PELLONI, R. R., WEIBEL, M. H. & HEMMERICH, P. A proposed novel structure for the metal chelates of bilirubin 1147–1150
KUHN, N. J. The lactose and neuraminlactose content of rat milk and mammary tissue 177–180

LAKE, B. D. & MARSDEN, J. C. Glycogen accumulation in cultured skin fibroblasts 5P
LAKE, B. G. & PARKE, D. V. Induction of aryl hydrocarbon hydroxylase in various tissues of the rat by methylenedioxyphenyl compounds 86P
LAKE, B. G. *see also* BURKE, M. D. 72P
LAKE, W. C. *see* WHISTLER, R. L. 919–925
LAMBDEN, P. R. & DRABBLE, W. T. Polarity in the *gua* operon of *Escherichia coli* K12 29P
LANDNER, L. The biological alkylation of mercury 67P–69P
LARDY, H. A. *see* HOCHBERG, A. A. 19–25
LAWFORD, H. G. & GARLAND, P. B. Proton translocation coupled to quinone reduction by reduced nicotinamide–adenine dinucleotide in rat liver and ox heart mitochondria 1029–1044
LAZARUS, C. R. *see* GORROD, J. W. 13P
LAZARUS, N. R. *see* GATES, R. J. 26P–27P
LE PATOUREL, G. N. J. *see* BANTHORPE, D. V. 1045–1054, 1055–1061
LEPPARD, J. P. Thin-layer-chromatographic equipment 58P–59P
LEWIS, M. H. R. *see* WANG, F. C. I. 74P–75P
LIBBY, P. R. Histone acetylation and hormone action. Early effects of oestradiol-17β on histone acetylation in rat uterus 663–669
LICHTI, F. U. *see* FISHER, D. 259–270
LINDAHL, U. *see* WASTESON, Å. 729–738
LINDSAY, V. J. *see* KAY, J. E. 78P
LINDUP, W. E. *see* HUMPHREY, M. J. 87P–88P
LIVINGSTONE, A. & FEWSON, C. A. Regulation of the enzymes converting L-mandelate into benzoate in bacterium N.C.I.B. 8250 937–946
LIVINGSTONE, A., FEWSON, C. A., KENNEDY, S. I. T. & ZATMAN, L. J. Two benzaldehyde dehydrogenases in bacterium N.C.I.B. 8250. Distinguishing properties and regulation 927–935
LLOYD, A. G. *see* MCCORMICK, J. I. 83P–84P
LLOYD, D. *see* CARTLEDGE, T. G. 739–747
LLOYD, W. J. *see* EISENTHAL, R. 199–205
LOR, K. L. & COSSINS, E. A. Regulation of C_1 metabolism by L-methionine in *Saccharomyces cerevisiae* 773–783
LOWE, D. J., LYNDEN-BELL, R. M. & BRAY, R. C. Spin–spin interaction between molybdenum and one of the iron–sulphur systems of xanthine oxidase and its relevance to the enzymic mechanism 239–249
LOWE, D. J. *see also* SMITH, B. E. 641–643
LOWE, D. M. *see* REID, K. B. M. 749–763
LUCY, J. A. *see* AHKONG, Q. F. 44P–45P; FISHER, D. 259–270; HOWELL, J. I. 44P
LYNCH, A. *see* ADLARD, B. P. F. 12P
LYNDEN-BELL, R. M. *see* LOWE, D. J. 239–249

MAGOS, L. Analytical procedures used in the determination of mercury in the body 63P–64P
MAHY, B. W. J. *see* HASTIE, N. D. 28P–29P
MAINWARING, W. I. P. & WILCE, P. A. Further studies on the stimulation of protein synthesis in androgen-dependent tissues by testosterone 189–197
MALINS, D. C. *see* ROBISCH, P. A. 33P–34P
MANNING, R. & BRINDLEY, D. N. Tritium isotope effects in the measurement of the glycerol phosphate and dihydroxyacetone phosphate pathways of glycerolipid biosynthesis in rat liver 1003–1012
MARKHAM, A., HARTMAN, G. C. & PARKE, D. V. Spectral evidence for the presence of cytochrome *P*-450 in microsomal fractions obtained from some higher plants 90P
MARSDEN, J. C. *see* LAKE, B. D. 5P
MARSHALL, G. E. *see* FENN, R. H. 1–10
MATHESON, A. T. *see* VISENTIN, L. P. 103–110
MATTHEWS, E. K., EVANS, R. J. & DEAN, P. M. The ionogenic nature of the secretory-granule membrane. Electrokinetic properties of isolated chromaffin granules 825–832
MATTOO, A. K. *see* MEHTA, S. U. 159–166
MCCALL, J. M. *see* DRUMMOND, A. H. 73P–74P
MCCOMBS, P. J. A. *see* RALPH, R. K. 901–911
MCCORMICK, J. I., FLANAGAN, R. & LLOYD, A. G. A microsomal catechol *O*-methyltransferase from rat liver 83P–84P
MCILWAIN, H. *see* PULL, I. 975–981
MCVICKER, T. A. *see* RUSSELL, D. H. 71–76
MEHTA, S. U., MATTOO, A. K. & MODI, V. V. Ribitol and flavinogenesis in *Eremothecium ashbyii* 159–166
MELLING, J. & SCOTT, G. K. Preparation of gram quantities of a purified R-factor-mediated penicillinase from *Escherichia coli* strain W3310 55–62
MELVIN, W. T., THOMSON, R. Y. & HAY, J. Induction of ornithine decarboxylase activity in baby-hamster kidney cells 77P–78P
MIDDLEMISS, D. N. *see* JONES, P. 411–415
MILNER-WHITE, E. J. & SPAIN, P. G. Quaternary structure of helical proteins with globular subunits 17P
MITROPOULOS, K. A., AVERY, M. D., MYANT, N. B. & GIBBONS, G. F. The formation of cholest-5-ene-3β,26-diol as an intermediate in the conversion of cholesterol into bile acids by liver mitochondria 363–371

MODI, V. V. *see* MEHTA, S. U. 159–166
MORGAN, B. *see* ATKIN, S. D. 153–157
MORRIS, H. P. *see* HOCHBERG, A. A. 19–25
MORRIS, J. G. *see* ROBSON, R. L. 4P–5P
MORRIS, J. W. S. *see* BIHLER, D. A. 321–324
MOSS, G. F. *see* NEALE, M. G. 85P–86P
MUIR, H. *see* REVELL, P. A. 597–606; ŠIMŮNEK, Z. 181–187
MURPHY, G. & WALKER, D. G. Enzyme synthesis and adaptation of hepatic 'malic' enzyme 76P–77P
MURRAY, A. W. *see* ELLIOTT, D. C. 1157–1160
MYANT, N. B. *see* MITROPOULOS, K. A. 363–371

NAIK, M. S. *see* SAWHNEY, S. K. 475–485
NAMBUDIRI, A. M. D., BHAT, J. V. & SUBBA RAO, P. V. Conversion of *p*-coumarate into caffeate by *Streptomyces nigrifaciens*. Purification and properties of the hydroxylating enzyme 425–433
NEAL, G. E. The effect of aflatoxin B_1 on normal and cortisol-stimulated rat liver ribonucleic acid synthesis 619–629
NEAL, G. E. The effect of aflatoxin B_1 on ribonucleic acid synthesis in control and cortisol-stimulated rat liver 79P–80P
NEALE, M. G. & MOSS, G. F. Effect of inducers on the metabolism and excretion of disodium cromoglycate in rats 85P–86P
NEUBERGER, A. *see* ALLEN, A. K. 35P
NEWSHOLME, E. A. *see* CRABTREE, B. 391–396, 697–705
NEWTON, B. E., SAXBY, M. J., WALTERS, C. L., PARKE, D. V. & WALKER, R. Nitrosation of food amines under simulated stomach conditions 82P
NIMMO, H. G. & TIPTON, K. F. Preliminary investigations on bovine hepatic fructose 1,6-diphosphatase 22P–23P
NIMMO, I. A. *see* YOUNG, J. D. 33P
NOAKES, D. E. *see* BICKERSTAFFE, R. 607–617
NOBLE, A. S. *see* CRIPPS, R. E. 31P–32P
NORRIS, D. B. & TRUDGILL, P. W. The purification and properties of cyclohexanone oxygenase from *Nocardia globerula* CL1 30P
NORTHCOTE, D. H. *see* BOWLES, D. J. 1133–1145

OFFORD, R. E. *see* REES, A. R. 965–968; WEBSTER, D. 315–317
OGSTON, A. G., PRESTON, B. N. & WELLS, J. D. Micro methods of osmometry based on the equilibrium swelling of gels 16P–17P
OLSNES, S., SPAEREN, U., HEIBERG, R. & PIHL, A. Protein synthesis in the presence of non-ionic detergents in a cell-free system from rabbit reticulocytes 297–299
ORD, M. G. & STOCKEN, L. A. Nucleic acid precursor uptake into normal and regenerating rat liver 9P
ORD, M. G. *see also* THROWER, S. 9P–10P
OTTAWAY, J. H. & APPS, D. K. Some examples of the use of computer-produced contour plots in the fitting of enzyme rate equations to reaction-velocity measurements 861–870

PARKE, D. V. Mechanisms and consequences of the induction of microsomal enzymes of mammalian liver 53P–55P
PARKE, D. V., RAHIM, A. & WALKER, R. Effects of ethoxyquin on hepatic microsomal enzymes 84P
PARKE, D. V. *see also* CHAKRABORTY, J. 19P–20P; COX, P. J. 13P–14P, 87P; GRAY, T. J. B. 91P–92P; HAMADAH, K. 15P; HUMPHREY, M. J. 87P–88P; LAKE, B. G. 86P; MARKHAM, A. 90P; NEWTON, B. E. 82P; WOOLFORD, G. 82P–83P
PARKER, M. G. & WEITZMAN, P. D. J. The regulation of *Acinetobacter* sp. α-oxoglutarate dehydrogenase complex 39P
PARTRIDGE, S. M. *see* SYKES, B. C. 1171–1172
PATEL, H. M. & RYMAN, B. E. Activation of liver glycogen synthetase *in vitro* 18P
PEARCE, J. Effect of diet and also physiological state on some enzymes of carbohydrate metabolism in the liver of the domestic fowl 21P–22P
PELLONI, R. R. *see* KUENZLE, C. C. 1147–1150
PERKINS, H. R. *see* GURD, J. W. 271–280
PERL, M. A possible ribosomal-directed regulatory system in *Euglena gracilis*. Chlorophyll synthesis 813–818
PERL, M. *see also* WOLFOVITCH, R. 819–823
PIHL, A. *see* OLSNES, S. 297–299
PONTREMOLI, S. Structure and function of liver fructose 1,6-diphosphatase 1P–2P
PORTER, R. R. *see* REID, K. B. M. 749–763
PORTMAN, O. W. *see* ILLINGWORTH, D. R. 557–567
POSGATE, J. A. *see* ELLAR, D. J. 41P
PRESTON, B. N. *see* OGSTON, A. G. 16P–17P
PRYDZ, H. *see* FLENGSRUD, R. 899–900
PULL, I. & MCILWAIN, H. Adenine derivatives as neurohumoral agents in the brain. The quantities liberated on excitation of superfused cerebral tissues 975–981
PURICH, D. L. & FROMM, H. J. Activation of brain hexokinase by magnesium ions and by magnesium ion–adenosine triphosphate complex 63–69

RACHED, I. R. *see* DEY, P. M. 39P–40P
RAHIM, A. *see* PARKE, D. V. 84P
RALPH, R. K., MCCOMBS, P. J. A., TENER, G. & WOJCIK, S. J. Evidence for modification of protein phosphorylation by cytokinins 901–911
RAMAKRISHNA KURUP, C. K. *see* KRISHNAKANTHA, T. P. 167–175
RASMUSSEN, C. *see* TAYLOR, C. E. 713–728
RAZ, A. Interaction of prostaglandins with blood plasma proteins. Comparative binding of prostaglandins A_2, $F_2\alpha$ and E_2 to human plasma proteins 631–636
RECORD, C. O., ALBERTI, K. G. M. M. & WILLIAMSON, D. H. Metabolic studies in experimental liver disease resulting from D(+)-galactosamine administration 37–44
REDMAN, B. T. *see* SHAH, P. P. 467–473
REES, A. R. & OFFORD, R. E. X-ray crystallography and the amino acid sequence of lysozyme 965–968
REES, J. S. *see* KITCHER, J. P. 121–132
REID, E. Trends in chromatographic equipment 55P–56P
REID, K. B. M., LOWE, D. M. & PORTER, R. R. Isolation and characterization of C1q, a subcomponent of the first component of complement, from human and rabbit sera 749–763
REINER, E. *see* SIMEON, V. 515–524
REVELL, P. A. & MUIR, H. The excretion and degradation of chondroitin 4-sulphate administered to guinea pigs as free chondroitin sulphate and as proteoglycan 597–606

REYNOLDS, A. P. *see* ADLARD, B. P. F. 12P
RICHARDS, J. B. & HEMMING, F. W. The transfer of mannose from guanosine diphosphate mannose to dolichol phosphate and protein by pig liver endoplasmic reticulum 77–93
RICHARDSON, S. G. *see* BRAUNSBERG, H. 38P
RIVA, F. *see* DOONAN, S. 443–452
ROBISCH, P. A., MALINS, D. C., BEST, R. & VARANASI, U. Differences in triacylglycerols from acoustic tissues and posterior cranial blubber of the narwhal (*Monodon monoceros*) 33P–34P
ROBSON, R. L., ROBSON, R. M. & MORRIS, J. G. Regulation of granulose synthesis in *Clostridium pasteurianum* 4P–5P
ROBSON, R. M. *see* ROBSON, R. L. 4P–5P
ROCHE, F. M. *see* FLICKINGER, R. A. 319–320
ROGERS, M. E. & KLEIN, G. Amphibian ribosomal ribonucleic acids 281–288
ROLLIN, F. *see* VISENTIN, L. P. 103–110
RUSSELL, D. H. & MCVICKER, T. A. Polyamine biogenesis in the rat mammary gland during pregnancy and lactation 71–76
RYMAN, B. E. *see* PATEL, H. M. 18P

SARI-ASLANI, F. S., HARPER, D. B. & HIGGINS, I. J. Catabolism of 1-phenylalkanes by *Nocardia salmonicolor* (N.C.I.B. 9701) 19P
SAWHNEY, S. K. & NAIK, M. S. Role of light in the synthesis of nitrate reductase, and nitrate reductase in rice seedlings 475–485
SAXBY, M. J. *see* NEWTON, B. E. 82P
SCOTT, G. K. *see* MELLING, J. 55–62
SEE, Y. P. & FITT, P. S. A study of the localization of polynucleotide phosphorylase within rat liver cells and of its distribution among rat tissues and diverse animal species 355–362
SEE, Y. P. & FITT, P. S. Partial purification and properties of rat liver mitochondrial polynucleotide phosphorylase 343–353
SELF, C. H. & WEITZMAN, P. D. J. The isocitrate dehydrogenases of *Acinetobacter lwoffi*. Separation and properties of two nicotinamide–adenine dinucleotide phosphate-linked isoenzymes 211–219
SELF, R. *see* JEFFREY, A. M. 383–390
SELWYN, M. J. Permeability effects of organomercurials 65P–67P
SHAH, P. P., TEE, A. R., ENGLISH, P. D., REDMAN, B. T. & BUNYAN, J. The identification of a lipid-mobilizing factor from sheep midbrain 467–473
SIDDLE, K. & HALES, C. N. The effect of local anaesthetics on lipolysis in fat-cells 34P
SIDDLE, K. *see also* CAMPBELL, A. K. 15P–16P
SIMEON, V., REINER, E. & VERNON, C. A. Effect of temperature and pH on carbamoylation and phosphorylation of serum cholinesterases. Theoretical interpretation of activation energies in complex reactions 515–524
SIMS, P. Epoxy derivatives of aromatic polycyclic hydrocarbons. The synthesis of dibenz[*a*,*c*]anthracene 10,11-oxide and its metabolism by rat liver preparations 27–35
ŠIMŮNEK, Z. & MUIR, H. Proteoglycans of the knee-joint cartilage of young normal and lame pigs 181–187
SINGH, V. K. & SUNG, S. C. Transcription of brain chromatin by ribonucleic acid polymerases from brain nuclei and from *Escherichia coli* 1095–1099
SLUYSER, M. Mechanism of action of cortisol in rat liver 49P–50P
SMILLIE, L. B. *see* JOHNSON, P. 36P–37P
SMITH, B. E., LOWE, D. J. & BRAY, R. C. Nitrogenase of *Klebsiella pneumoniae*: electron-paramagnetic-resonance studies on the catalytic mechanism 641–643
SMITH, C. Z. *see* BOOTH, R. 72P–73P; GREGORY, K. W. 1163–1165
SMITH, G. E. *see* GRIFFITHS, L. A. 141–151
SMITH, R. *see* GATES, R. J. 26P–27P
SNELL, K. & WALKER, D. G. Regulation of L-serine dehydratase in developing rat liver 75P–76P
SNELL, K. & WALKER, D. G. Temporal aspects of glucose metabolism in the rat at birth 6P–7P
SODJA, A. *see* HARWOOD, J. L. 1013–1018
SODTKE, U. *see* JEEJEEBHOY, K. N. 533–538
SPAEREN, U. *see* OLSNES, S. 297–299
SPAIN, P. G. *see* MILNER-WHITE, E. J. 17P
SPELSBERG, T. C. *see* GLASSER, S. R. 947–957
SPENCER, N. *see* BROWNSON, C. 797–803, 805–811
STAFFORD, G. H. *see* ARCHIBALD, A. R. 681–690
STEWART, J. C. M. *see* BONNETT, R. 895–897
STOCKEN, L. A. *see* ORD, M. G. 9P
STOTT, D. I. Assembly of immunoglobulin G: the role of the light-chain pool 1151–1152
STRATMAN, F. W. *see* HOCHBERG, A. A. 19–25
STRICKLAND, J. M. *see* ELLIS. D. A. 17P–18P
STUMPF, P. K. *see* HARWOOD, J. L. 1013–1018
SUBBA RAO, P. V. *see* NAMBUDIRI, A. M. D. 425–433
SUNG, S. C. *see* SINGH, V. K. 1095–1099
SUTTON, D. A., DREWES, S. E. & WELZ, U. Evaluation of 1-fluoro-2-nitro-4-trimethylammoniobenzene iodide, a protein-solubilizing reagent 589–595
SYKES, B. C. & PARTRIDGE, S. M. Isolation of a soluble elastin from lathyritic chicks 1171–1172

TAMIYA, N. & ABE, H. The isolation, properties and amino acid sequence of erabutoxin c, a minor neurotoxic component of the venom of a sea snake *Laticauda semifasciata* 547–555
TAMPION, W. *see* AHKONG, Q. F. 44P–45P; HOWELL, J. I. 44P
TAUGNER, G. The effects of univalent anions on catecholamine fluxes and adenosine triphosphatase activity in storage vesicles from the adrenal medulla 969–973
TAYLOR, C. E., TAYLOR, R. S., RASMUSSEN, C. & KNOWLES, P. F. A catalytic mechanism for the enzyme benzylamine oxidase from pig plasma 713–728
TAYLOR, N. F. *see* EISENTHAL, R. 199–205
TAYLOR, R. S. *see* TAYLOR, C. E. 713–728
TEE, A. R. *see* SHAH, P. P. 467–473
TENER, G. *see* RALPH, R. K. 901–911
THOMAS, A. J. Aids to column chromatography 57P–58P
THOMAS, J. H. & CURTIS, C. G. Metabolism of sulphated insulin in the rat 81P
THOMAS, P. & BESSELL, E. M. The effect of substitution at C-2 of D-glucose 6-phosphate on the rate of dehydrogenation by yeast glucose 6-phosphate dehydrogenase 21P
THOMAS, P. *see also* BESSELL, E. M. 20P–21P

THOMSON, R. Y. *see* MELVIN, W. T. 77P–78P
THROWER, S. & ORD, M. G. α-Adrenergic blockers and early stages in liver regeneration 9P–10P
TIPTON, K. F. *see* NIMMO, H. G. 22P–23P; TURNER, A. J. 765–772
TOLAN, A. & ELTON, G. A. H. Mercury in food 69P–70P
TOMS, E. J. *see* GREEN, N. M. 707–711
TREDGER, J. M. *see* BURKE, M. D. 72P
TRUDGILL, P. W. *see* KITCHER, J. P. 121–132; NORRIS, D. B. 30P
TURNER, A. J. & TIPTON, K. F. The characterization of two reduced nicotinamide–adenine dinucleotide phosphate-linked aldehyde reductases from pig brain 765–772
TYLER, J. M. *see* WATSON, M. J. 45–54

VARANASI, U. *see* ROBISCH, P. A. 33P–34P
VERNON, C. A. *see* DOONAN, S. 443–452; SIMEON, V. 515–524
VISENTIN, L. P., CHOW, C., MATHESON, A. T., YAGUCHI, M. & ROLLIN, F. *Halobacterium cutirubrum* ribosomes. Properties of the ribosomal proteins and ribonucleic acid 103–110
VLIEGENTHART, J. F. G. *see* GARSSEN, G. J. 435–442

WALKER, D. G. *see* MURPHY, G. 76P–77P; SNELL, K. 6P–7P, 75P–76P; WARD, C. J. 76P
WALKER, J. M. *see* DOONAN, S. 443–452
WALKER, R. *see* NEWTON, B. E. 82P; PARKE, D. V. 84P
WALLENFELS, K. *see* DEY, P. M. 39P–40P
WALTERS, C. L. *see* NEWTON, B. E. 82P; WOOLFORD, G. 82P–83P
WANG, F. C. I. & LEWIS, M. H. R. Lysine biosynthesis in mammals 74P–75P
WARD, C. J. & WALKER, D. G. Enzyme adaptation for glycerol utilization in neonatal rats 76P
WARD, P. F. V. & HUSKISSON, N. S. The metabolism of fluoroacetate in lettuce 575–587
WARE, D. A. Nitrogenase of *Klebsiella pneumoniae*: interaction with viologen dyes as measured by acetylene reduction 301–302
WASTESON, Å., LINDAHL, U. & HALLÉN, A. Mode of degradation of the chondroitin sulphate proteoglycan in rat costal cartilage 729–738
WATSON, M. J., TYLER, J. M., BUCHANAN, J. G. & BADDILEY, J. The type-specific substance from *Pneumococcus* type 13 45–54
WEBSTER, D. & OFFORD, R. E. The modification and removal of the *N*-terminal residue of trypsin by transamination 315–317
WEIBEL, M. H. *see* KUENZLE, C. C. 1147–1150
WEITZMAN, P. D. J. *see* DANSON, M. J. 38P–39P; PARKER, M. G. 39P; SELF, C. H. 211–219
WELLS, J. D. *see* OGSTON, A. G. 16P–17P
WELZ, U. *see* SUTTON, D. A. 589–595
WERNER, H. V., BARTLEY, J. C. & BERRY, M. N. Glucose–adenosine 5′-triphosphate 6-phosphotransferases of isolated rat liver parenchymal cells 1153–1155
WHISTLER, R. L. & LAKE, W. C. Inhibition of cellular transport processes by 5-thio-D-glucopyranose 919–925
WHITTAKER, V. P. *see* BARKER, L. A. 1063–1080; DOWDALL, M. J. 1081–1094
WIEBEL, F. J. *see* GELBOIN, H. V. 48P
WILCE, P. A. *see* MAINWARING, W. I. P. 189–197
WILKINSON, C. F. *see* YANG, R. S. H. 487–493
WILKINSON, S. G. *see* DREWRY, D. T. 289–295
WILLIAMSON, A. R. Extent and control of antibody diversity. The ninth Colworth Medal Lecture 325–333
WILLIAMSON, D. H. *see* RECORD, C. O. 37–44
WILSON, A. G. E., HOUSTON, J. B. & BRIDGES, J. W. The binding of aliphatic carbamates to bovine serum albumin 85P
WOJCIK, S. J. *see* RALPH, R. K. 901–911
WOLF, H. U. Effects of ethylenediaminetetra-acetate and deoxycholate on kinetic constants of the calcium ion-dependent adenosine triphosphatase of human erythrocyte membranes 311–314
WOLFOVITCH, R. & PERL, M. A possible ribosomal-directed regulatory system in *Euglena gracilis*. Carbon dioxide fixation 819–823
WOOD, D. A. Sporulation in *Bacillus subtilis*. Properties and time of synthesis of alkali-soluble protein of the spore coat 505–514
WOOLFORD, G., CASSELDEN, R. J., WALTERS, C. L., PARKE, D. V. & GOULD, B. J. Gaseous products of the interaction of sodium nitrite with porcine skeletal muscle 82P–83P

YAGUCHI, M. *see* VISENTIN, L. P. 103–110
YANG, R. S. H. & WILKINSON, C. F. Enzymic sulphation of *p*-nitrophenol and steroids by larval gut tissues of the southern armyworm (*Prodenia eridania* Cramer) 487–493
YOUNG, J. D. & NIMMO, I. A. The oxidation of glutathione by a preparation of glucose oxidase from *Aspergillus niger* 33P

ZAHLTEN, R. N. *see* HOCHBERG, A. A. 19–25
ZALIN, R. Creatine kinase activity in cultures of differentiating myoblasts 79P
ZATMAN, L. J. *see* LIVINGSTONE, A. 927–935

Index of Subjects

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P.

Acetate, formation of ketone bodies from butyrate and, by tissue from rabbit caecum and large intestine *in vitro* (Henning, S. J. & Hird, F. J. R.) 785–790

Acetate, metabolism of, to glycine in *Pseudomonas* AM1 (Dunstan, P. M. & Anthony, C.) 31P

Acetate, transport of butyrate and, by rabbit caecum and large intestine *in vivo* and *in vitro* (Henning, S. J. & Hird, F. J. R.) 791–796

Acetoacetyl-coenzyme A deacylase, activity of, in rabbit caecal mucosa (Henning, S. J. & Hird, F. J. R.) 785–790

Acetylcholine, bound, stable, labelling of, in the synaptic vesicle fraction of guinea-pig cerebral cortex after the administration of [*N*-*Me*-^{3}H]choline (Barker, L. A., Dowdall, L. A. & Whittaker, V. P.) 1063–1080

Acetylcholine, mathematical model of the metabolic compartments of, in synaptosomes (Gradijan, J. R. & Bergner, P.-E. E.) 1075–1080

Acetylene, effects of Viologen dyes on the reduction of, by nitrogenase from *Klebsiella pneumoniae* M5a1 (Ware, D. A.) 301–302

N-Acetylgalactosamine, location of, in two polymers from the cell wall of *Bacillus subtilis* 168 (Duckworth, M., Archibald, A. R. & Baddiley, J.) 691–696

N-Acetylglucosamine 1-phosphate, characterization of a polymer of, from the cell wall of *Staphylococcus lactis* 2102 (Archibald, A. R. & Stafford, G. H.) 681–690

N-Acetylneuraminyl-lactose, concentrations of lactose and, in rat milk and mammary gland (Kuhn, N. J.) 177–180

Achromobacter spp., formation of 2,5-hydroxypyridine as a metabolite of 2- or 3-hydroxypyridine by (Houghton, C. & Cain, R. B.) 879–893

Acidosis, metabolism of glutamine and glutamate by isolated perfused kidneys of rats with (Hems, D. A.) 671–680

Acinetobacter lwoffi 4B, separation and properties of two isoenzymes of nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase from (Self, C. H. & Weitzman, P. D. J.) 211–219

α_1-Acute-phase globulins, *see* α_1-Globulins, acute-phase

Adenosine 3′:5′-cyclic monophosphate, discussion of possible similarities between the effects of cytokinins in plant tissues and the effects of, in animal tissues (Ralph, R. K., McCombs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911

Adenosine 3′:5′-cyclic monophosphate, effect of electroconvulsive therapy on the urinary excretion of, in female human patients (Hamadah, K., Holmes, H., Barker, G., Hartman, G. C. & Parke, D. V.) 15P

Adenosine 3′:5′-cyclic monophosphate, effect of glucagon on the concentration of, in an organ culture of adult rat liver (Campbell, A. K. & Siddle, K.) 15P–16P

Adenosine diphosphate, possible role of mitochondrial polynucleotide phosphorylase in the control of the intramitochondrial concentration of, in rat liver and other tissues (See, Y. P. & Fitt, P. S.) 355–362

Adenosine, quantities of, and other adenine derivatives liberated on electrical stimulation of superfused guinea-pig cerebral neocortical tissues (Pull, I. & McIlwain, H.) 975–981

Adenosine triphosphatase, calcium ion-dependent, effects of ethylenediaminetetra-acetate and deoxycholate on kinetic constants of, of human erythrocyte membranes (Wolf, H. U.) 311–314

Adenosine triphosphatase, effects of univalent anions on catecholamine fluxes and the activity of, in catecholamine-storage vesicles from ox adrenal-gland medulla (Taugner, G.) 969–973

Adenosine triphosphatase, magnesium-ion-activated, sodium-plus-potassium ion-stimulated, differences in the characteristics of, of surface membranes isolated from normal and polyoma-virus-transformed baby-hamster kidney cells (Graham, J. M.) 1113–1124

S-Adenosyl-L-methionine decarboxylase, changes in the activity of, in rat mammary gland during pregnancy and lactation (Russell, D. H. & McVicker, T. A.) 71–76

Adenylate kinase, kinetic properties of the two common inherited forms of, of human erythrocytes (Brownson, C. & Spencer, N.) 805–811

Adenylate kinase, partial purification and properties of the two common inherited forms of, of human erythrocytes (Brownson, C. & Spencer, N.) 797–803

Adrenal-gland medulla, ox, effects of univalent anions on catecholamine fluxes and adenosine triphosphatase activity in catecholamine-storage vesicles from (Taugner, G.) 969–973

Adrenal-gland medulla, ox, electrophoretic properties of chromaffin granules isolated from (Matthews, E. K., Evans, R. J. & Dean, P. M.) 825–832

α-Adrenergic blockers and early stages in rat liver regeneration (Thrower, S. & Ord, M. G.) 9P–10P

Aerobacter aerogenes, purification and properties of an aggregate of anthranilate synthase and anthranilate–5-phosphoribosyl 1-pyrophosphate phosphoribosyltransferase from (Egan, A. F. & Gibson, F.) 847–859

Aflatoxin B_1, effect of, on normal and cortisol-stimulated biosynthesis of ribonucleic acid in rat liver (Neal, G. E.) 619–629

Agglutinin, wheat-germ, purification and properties of (Allen, A. K. & Neuberger, A.) 35P

Agrobacterium sp. N.C.I.B. 10413, formation of 3,4-dihydroxypyridine as a metabolite of 4-hydroxypyridine by (Houghton, C. & Cain, R. B.) 879–893

Albumin, plasma, effects of cortisol on the biosynthesis of fibrinogen, transferrin and, in rat liver *in vivo* (Jeejeebhoy, K. N., Bruce-Robertson, A., Ho, J. & Sodtke, U.) 533–538

Albumin, serum, human, comparison of the binding of prostaglandins A_2, $F_{2\alpha}$ and E_2 to (Raz, A.) 631–636

Albumin, serum, ox, binding of aliphatic carbamates to (Wilson, A. G. E., Houston, J. B. & Bridges, J. W.) 85P

Alcohol dehydrogenase, effects of oxygen concentration on the activity of, in *Saccharomyces cerevisiae* grown with an excess or a deficiency of potassium ions in the medium (Bartley, W. & Broomhead, V. M.) 251–258
Aldehyde reductases, reduced nicotinamide–adenine dinucleotide phosphate-linked, two, partial purification and properties of (Turner, A. J. & Tipton, K. F.) 765–772
Aldehydes, suggested role of two reduced nicotinamide–adenine dinucleotide phosphate-linked aldehyde reductases in the metabolism of, derived from biogenic amines in pig brain (Turner, A. J. & Tipton, K. F.) 765–772
[^{3}H]Aldosterone, effect of carbenoxolone on the subcellular distribution of, in rat kidney (Humphrey, M. J., Lindup, W. E., Parke, D. V. & Chakraborty, J.) 87P–88P
Alkaline phosphatase, *see* Phosphatase, alkaline
Amines, biogenic, suggested role of two reduced nicotinamide–adenine dinucleotide phosphate-linked aldehyde reductases in the metabolism of aldehydes derived from, in pig brain (Turner, A. J. & Tipton, K. F.) 765–772
Amines, food, nitrosation of, under simulated stomach conditions (Newton, B. E., Saxby, M. J., Walters, C. L., Parke, D. V. & Walker, R.) 82P
Amino acid sequence of erabutoxin c, a minor neurotoxic component of the venom of the sea snake *Laticauda semifasciata* (Tamiya, N. & Abe, H.) 547–555
Amino acid sequence of protein SCMK-B2A from the high-sulphur fraction of wool keratin (Elleman, T. C.) 833–845
Amino acid sequence, partial, of aspartate aminotransferase from pig heart muscle (Doonan, S., Doonan, H. J., Riva, F., Vernon, C. A., Walker, J. M., Bossa, F., Barra, D., Carloni, M. & Fasella, P.) 443–452
Amino acid sequence, reinvestigation of, of hen's egg lysozyme (Rees, A. R. & Offord, R. E.) 965–968
Amino acid sequence, *N*-terminal, of sixty-nine residues of heavy chain derived from a homogeneous rabbit antibody (Jaton, J.-C. & Braun, D. G.) 539–546
Amino acids, effects of cortisol and the concentration of, on the biosynthesis of plasma albumin, fibrinogen and transferrin in rat liver *in vivo* (Jeejeebhoy, K. N., Bruce-Robertson, A., Ho, J. & Sodtke, U.) 533–538
Amino acids, neutral, inhibition by 5-thio-D-glucose of the transport of, by rat kidney-cortex slices (Whistler, R. L., & Lake, W. C.) 919–925
4-Aminobutyrate aminotransferase, active-site-directed irreversible inhibition by ethanolamine *O*-sulphate of (Fowler, L. J. & John, R. A.) 80P–81P
4-Aminobutyrate aminotransferase, brain, rat, active-site-directed irreversible inhibition by ethanolamine *O*-sulphate of, *in vitro* and *in vivo* (Fowler, L. J. & John, R. A.) 569–573
N-(*o*-Aminophenyl)aminomethanephosphonic acid, synthesis of (Dixon, H. B. F.) 317
3-Aminopropane-1,2-diol, isolation and characterization of a sphingophospholipid containing, from the bacterial fraction of sheep rumen contents (Kemp, P., Dawson, R. M. C. & Klein, R. A.) 221–227
Aminopyrine demethylase, microsomal, liver, activity of, in normal and vitamin E-deficient male rats (Jeffery, E. H. & Diplock, A. T.) 12P–13P
Ammonia, formation of, from glutamine and glutamate by isolated perfused kidneys of normal and acidotic rats (Hems, D. A.) 671–680
(+)- and (−)-Amphetamine, metabolism of (+)- and (−)-dimethylamphetamine and, in the rabbit *in vivo* (Beckett, A. H. & Al-Sarraj, S. M.) 14P
Amphibians, differences in the molecular weights and other properties of ribosomal ribonucleic acids from Anuran and Urodele species of (Rogers, M. E. & Klein, G.) 281–288
Androstene-3,17-dione, inhibition studies on the aromatization of, by human placental microsomal preparations (Chakraborty, J., Hopkins, R. & Parke, D. V.) 19P–20P
Anions, univalent, effects of, on catecholamine fluxes and adenosine triphosphatase activity in catecholamine-storage vesicles from ox adrenal-gland medulla (Taugner, G.) 969–973
Anthranilate synthase, purification and properties of an aggregate of anthranilate–5-phosphoribosyl1-pyrophosphate phosphoribosyltransferase and, from *Aerobacter aerogenes* (Egan, A. F. & Gibson, F.) 847–859
Anthranilate–5-phosphoribosyl 1-pyrophosphate phosphoribosyltransferase, purification and properties of an aggregate of anthranilate synthase and, from *Aerobacter aerogenes* (Egan, A. F. & Gibson, F.) 847–859
Antibodies, extent and control of the diversity of (Williamson, A. R.) 325–333
Antibodies, specific, binding of, to subfractions of mouse liver plasma membranes (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 271–280
Antibody, rabbit, homogeneous, amino acid sequence of the *N*-terminal sixty-nine residues of heavy chain derived from (Jaton, J.-C. & Braun, D.G.) 539–546
Antigens, surface, distribution of, during fractionation of mouse liver plasma membranes (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 271–280
Aorta, chick, lathyritic, isolation of soluble elastin from (Sykes, B. C. & Partridge, S. M.) 1171–1172
Apoferritin, catalytic activity of (Crichton, R. R. & Bryce, C. F. A.) 36P
Apoferritin, intermediates in the reversible dissociation of (Crichton, R. R.) 35P–36P
D-Arabinose, effects of 5-thio-D-glucose on the transport of D-xylose and, by rat diaphragm muscle (Whistler, R. L. & Lake, W. C.) 919–925
Aryl hydrocarbon hydroxylase, microsomal, analysis of the induction of, in cell culture (Gelboin, H. V., Wiebel, F. J. & Coon, H. G.) 48P
Aryl hydrocarbon hydroxylase, microsomal, induction of, in various tissues of the rat by methylene dioxyphenyl compounds (Lake, B. G. & Parke, D. V.) 86P
Ascites cells, Ehrlich, permealysed, incorporation of [^{3}H]-thymidine triphosphate first into low-molecular-weight pieces of deoxyribonucleic acid and then into high-molecular-weight deoxyribonucleic acid by, *in vitro* (Burgoyne, L. A.) 959–964
Aspartate aminotransferase, heart-muscle, pig, partial amino acid sequence of (Doonan, S., Doonan, H. J., Riva, F., Vernon, C. A., Walker, J. M., Bossa, F., Barra, D., Carloni, M. & Fasella, P.) 443–452
Avidin, dissociation of complexes of biotin with, by guanidinium chloride (Green, N. M. & Toms, E. J.) 707–711

Avocado (*Persea americana*) mesocarp, maturing, β-hydroxylation of medium-chain fatty acids by a cytosol preparation from (Harwood, J. L., Sodja, A. & Stumpf, P. K.) 1013–1018

Bacillus subtilis 168, location of *N*-acetylgalactosamine in two polymers from the cell wall of (Duckworth, M., Archibald, A. R. & Baddiley, J.) 691–696

Bacillus subtilis 168 (Marburg strain), properties and time of biosynthesis of alkali-soluble protein of the spore coat of (Wood, D. A.) 505–514

Bacteriophage φX174, light-scattering studies of the flexibility of the small circular molecule of deoxyribonucleic acid of, in solution (Jolly, D. J. & Campbell, A. M.) 1019–1028

Bacterium N.C.I.B. 8250, distinguishing properties and the regulation of two benzaldehyde dehydrogenases in (Livingstone, A., Fewson, C. A., Kennedy, S. I. T. & Zatman, L. J.) 927–935

Bacterium N.C.I.B. 8250, regulation of the enzymes involved in the conversion of L-mandelate into benzoate in (Livingstone, A. & Fewson, C. A.) 937–946

Benzaldehyde dehydrogenases, two, distinguishing properties and the regulation of, in bacterium N.C.I.B. 8250 (Livingstone, A., Fewson, C. A., Kennedy, S. I. T. & Zatman, L. J.) 927–935

Benzoate, regulation of the enzymes involved in the conversion of L-mandelate into, in bacterium N.C.I.B. 8250 (Livingstone, A. & Fewson, C. A.) 937–946

Benzyl alcohol, evidence suggesting that two distinct benzaldehyde dehydrogenases are associated with the metabolism of L-mandelate and, in bacterium N.C.I.B. 8250 (Livingstone, A., Fewson, C. A., Kennedy, S. I. T. & Zatman, L. J.) 927–935

6-Benzyladenine, quantitative limit for the incorporation of, into transfer ribonucleic acid by soya-bean callus tissue (Elliott, D. C. & Murray, A. W.) 1157–1160

Benzylamine oxidase, plasma, pig, catalytic mechanism for (Taylor, C. E., Taylor, R. S., Rasmussen, C. & Knowles, P. F.) 713–728

BHK cells, *see* Cells, kidney, baby-hamster

Bile acids, formation of cholest-5-ene-3β,26-diol as an intermediate in the conversion of cholesterol into, by rat liver mitochondria (Mitropoulos, K. A., Avery, M. D., Myant, N. B. & Gibbons, G. F.) 363–371

Bile salts, purification of, on columns of Sephadex LH-20 (Haslewood, E. S. & Haslewood, G. A. D.) 89P

Bilirubin, proposed structure for the metal chelates of (Kuenzle, C. C., Pelloni, R. R., Weibel, M. H. & Hemmerich, P.) 1147–1150

Bilirubin, singlet oxygen in the photo-oxidation of, in hydroxylic solvents (Bonnett, R. & Stewart, J. C. M.) 895–897

Biotin, dissociation of complexes of avidin with, by guanidinium chloride (Green, N. M. & Toms, E. J.) 707–711

Biphenyl oxygenases, microsomal, liver, hamster, influence of Tween 80 on the metabolism of (Burke, M. D. & Bridges, J. W.) 70P–71P

Blood platelets, human, effect of an inhibitor of the thrombin–fibrinogen reaction on the thrombin-induced aggregation of (Flengsrud, R., Eika, C. & Prydz, H.) 899–900

Brain, concentrations of aromatic acids derived from phenylalanine in the liver and, of rats with experimentally induced characteristics similar to those of phenylketonuria (Edwards, D. J. & Blau, K.) 495–503

Brain cortex, guinea-pig, labelling of phosphorylcholine and choline-containing phospholipids in subcellular fractions of, after the administration of [*N*-*Me*-^{3}H]-choline (Dowdall, M. J., Barker, L. A. & Whittaker, V. P.) 1081–1094

Brain cortex, guinea-pig, labelling of stable bound acetylcholine in the synaptic-vesicle fraction of, after the administration of [*N*-*Me*-^{3}H]choline (Barker, L. A., Dowdall, M. J. & Whittaker, V. P.) 1063–1080

Brain cortex, ox, transcription of chromatin from, by deoxyribonucleic acid-dependent ribonucleic acid polymerases from ox brain-cortex nuclei and *Escherichia coli* (Singh, V. K. & Sung, S. C.) 1095–1099

Brain, guinea-pig, activation by magnesium ions and by magnesium ion–adenosine triphosphate complex of hexokinase from (Purich, D. L. & Fromm, H. J.) 63–69

Brain, guinea-pig, quantities of adenine derivatives liberated on electrical stimulation of superfused neocortical tissues from (Pull, I. & McIlwain, H.) 975–981

Brain, mid-, sheep, identification of a lipid-mobilizing factor from, as isoprenaline (Shah, P. P., Tee, A. R., English, P. D., Redman, B. T. & Bunyan, J.) 467–473

Brain, pig, partial purification and properties of two reduced nicotinamide–adenine dinucleotide phosphate-linked aldehyde reductases from (Turner, A. J. & Tipton, K. F.) 765–772

Brain, rat, active-site-directed irreversible inhibition by ethanolamine *O*-sulphate of 4-aminobutyrate aminotransferase of, *in vitro* and *in vivo* (Fowler, L. J. & John, R. A.) 569–573

Brain, squirrel-monkey, uptake and metabolism of plasma lysophosphatidylcholine by, *in vivo* (Illingworth, D. R. & Portman, O. W.) 557–567

Brassica pekinensis, *see* Chinese cabbage

Brush border, kidney, rat, localization of D-*myo*inositol 1:2-cyclic phosphate 2-phosphatase in (Clarke, N. & Dawson, R. M. C.) 229–238

Butyrate, formation of ketone bodies from acetate and, by tissue from rabbit caecum and large intestine *in vitro* (Henning, S. J. & Hird, F. J. R.) 785–790

Butyrate, transport of acetate and, by rabbit caecum and large intestine *in vivo* and *in vitro* (Henning, S. J. & Hird, F. J. R.) 791–796

Caecum, rabbit, formation of ketone bodies from butyrate and acetate by tissue from, and large intestine *in vitro* (Henning, S. J. & Hird, F. J. R.) 785–790

Caecum, rabbit, transport of acetate and butyrate by, and large intestine *in vivo* and *in vitro* (Henning, S. J. & Hird, F. J. R.) 791–796

Caecum, rat, metabolism of myricetin and related compounds by micro-organisms isolated from (Griffiths, L. A. & Smith, G. E.) 141–151

Caffeate, purification and properties of the hydroxylating enzyme catalysing the conversion of *p*-coumarate into, from *Streptomyces nigrifaciens* (Nambudiri, A. M. D., Bhat, J. V. & Subba Rao, P. V.) 425–433

Candida mycoderma, activities of fluoro and deoxy analogues of glycerol as substrates and inhibitors of glycerol kinase from (Eisenthal, R., Harrison, R., Lloyd, W. J. & Taylor, N. F.) 199–205
Caprate, *see* Decanoate
Caprylate, *see* Octanoate
Carbamates, effects of temperature and pH on the inactivation of horse and human cholinesterases by reaction with (Simeon, V., Reiner, E. & Vernon, C. A.) 515–524
Carbamoylation, effects of temperature and pH on the inactivation of horse and human cholinesterases by (Simeon, V., Reiner, E. & Vernon, C. A.) 515–524
Carbohydrases, simple method for the determination of the endo or exo nature of, acting on polymeric substrates (Dey, P. M., Rached, I. R. & Wallenfels, K.) 39P–40P
Carbohydrate, behaviour of regulatory enzymes of the metabolism of (Colloquium) 1P–4P
Carbohydrate, effects of diet and of physiological state on some enzymes of the metabolism of, in chicken liver (Pearce, J.) 21P–22P
Carbohydrate moiety, use of methylation analysis for investigation of the structure of, of human pituitary-gland follicle-stimulating hormone (Kennedy, J. F. & Chaplin, M. F.) 417–423
Carbon dioxide, evidence for a ribosomal-directed repression–de-repression system for the regulation of the fixation of, by *Euglena gracilis* var. *bacillaris* (Wolfovitch, R. & Perl, M.) 819–823
Carnitine palmitoyltransferase, activities of lipases and, in muscles from vertebrate and invertebrate animals (Crabtree, B. & Newsholme, E. A.) 697–705
Carrot (*Daucus carota*), inhibition by kinetin of the phosphorylation of proteins in nuclei from secondary-phloem tissue of (Ralph, R. K., McCombs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911
Cartilage, costal, rat, mode of degradation of the protein–polysaccharide containing chondroitin sulphate in (Wasteson, Å, Lindahl, U. & Hallén, A.) 729–738
Cartilage, knee-joint, sequential extraction and analysis of protein–polysaccharides from, of young normal and lame pigs (Šimůnek, Z. & Muir, H.) 181–187
Cartilage, laryngeal, pig, excretion and degradation of chondroitin 4-sulphate administered to guinea pigs as free chondroitin sulphate and as protein–polysaccharide isolated from (Revell, P. A. & Muir, H.) 597–606
Catalase, mitochondrial, liver, increase in the activity of, on the administration of clofibrate and clofenapate to the rat (Krishnakantha, T. P. & Kurup, C. K. R.) 167–175
Catalases, formation of Compound I by the reaction of peroxoacetic acid with, from *Micrococcus lysodeikticus* and ox liver (Jones, P. & Middlemiss, D. N.) 411–415
(+)-Catechin, hydroxylation of taxifolin to form dihydrogossypetin by cell-free extracts from *Pseudomonas* sp. N.C.I.B. 9940 grown on (Jeffrey, A. M., Knight, M. & Evans, W. C.) 373–381
(+)-Catechin, metabolism of, and other flavonoids in germ-free rats (Griffiths, L. A. & Barrow, A.) 1161–1162
(+)-Catechin, oxidative cleavage of dihydrogossypetin to form oxaloacetate and 5-(3,4-dihydroxyphenyl)-4-hydroxy-3-oxovalero-δ-lactone by cell-free extracts from *Pseudomonas* sp. N.C.I.B. 9940 grown on (Jeffrey, A. M., Jerina, D. M., Self, R. & Evans, W. C.) 383–390
Catechol *O*-methyltransferase, microsomal, liver, rat, properties of (McCormick, J. I., Flanagan, R. & Lloyd, A. G.) 83P–84P
Catecholamines, effects of univalent anions on adenosine triphosphatase activity and fluxes of, in catecholamine-storage vesicles from ox adrenal-gland medulla (Taugner, G.) 969–973
Catecholamine-storage vesicles, adrenal-gland-medulla, effects of univalent anions on catecholamine fluxes and adenosine triphosphatase activity in (Taugner, G.) 969–973
Cations, bivalent and tervalent, effects of, on the electrophoretic properties of chromaffin granules isolated from ox adrenal-gland medulla (Matthews, E. K., Evans, R. J. & Dean, P. M.) 825–832
Cell wall, characterization of a polymer of *N*-acetylglucosamine 1-phosphate from, of *Staphylococcus lactis* 2102 (Archibald, A. R. & Stafford, G. H.) 681–690
Cell wall, identification of ethanolamine triphosphate among the low-molecular-weight solutes released during mild acid hydrolysis of the lipopolysaccharide extracted from, of *Pseudomonas aeruginosa* N.C.T.C. 1999 (Drewry, D. T., Grey, G. W. & Wilkinson, S. G.) 289–295
Cell wall, location of *N*-acetylglusosamine in two polymers from, of *Bacillus subtilis* 168 (Duckworth, M., Archibald, A. R. & Baddiley, J.) 691–696
Cells, ascites, Ehrlich, permealysed, incorporation of [^{3}H]thymidine triphosphate first into low-molecular-weight pieces of deoxyribonucleic acid and then into high-molecular-weight deoxyribonucleic acid by, *in vitro* (Burgoyne, L. A.) 959–964
Cells, kidney, baby-hamster, cultured, normal and polyoma-virus-transformed, isolation and characterization of surface-membrane and endoplasmic-reticulum fractions from (Graham, J. M.) 1113–1124
Cells, parenchymal, liver, rat, isolated, activities of hexokinase isoenzymes and glucokinase in (Werner, H. V., Bartley, J. C. & Berry, M. N.) 1153–1155
Ceramide phosphate, isolation and characterization of a sphingophospholipid composed of 3-aminopropane-1,2-diol esterified to, from the bacterial fraction of sheep rumen contents (Kemp, P., Dawson, R. M. C. & Klein, R. A.) 221–227
Cerebral cortex, guinea-pig, labelling of phosphorylcholine and choline-containing phospholipids in subcellular fractions of, after the administration of [*N-Me*-^{3}H]choline (Dowdall, M. J., Barker, L. A. & Whittaker, V. P.) 1081–1094
Cerebral cortex, guinea-pig, labelling of stable bound acetylcholine in the synaptic-vesicle fraction of, after the administration of [*N-Me*-^{3}H]choline (Barker, L. A., Dowdall, M. J. & Whittaker, V. P.) 1063–1080
Cerebral cortex, ox, transcription of chromatin from, by deoxyribonucleic acid-dependent ribonucleic acid polymerases from ox cerebral-cortex nuclei and *Escherichia coli* (Singh, V. K. & Sung, S. C.) 1095–1099

Cerebrum, guinea-pig, quantities of adenine derivatives liberated on electrical stimulation of superfused neocortical tissues from (Pull, I. & McIlwain, H.) 975–981
Chick embryos, hypothermic, structure of ribosomes as indicated by studies on tetramers from (Carey, N. H., Hobbs, J. R. W. & Cook, E. A.) 871–877
Chick, lathyritic, isolation of soluble elastin from the aorta of (Sykes, B. C. & Partridge, S. M.) 1171–1172
Chicken's egg, reinvestigation of the amino acid sequence of lysozyme from (Rees, A. R. & Offord, R. E.) 965–968
Chinese cabbage (*Brassica pekinensis*) leaves, effects of cytokinins on the phosphorylation of proteins in discs of and subcellular fractions from (Ralph. R. K., Mc Combs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911
Chlorophyll, evidence for a ribosomal-directed repression–de-repression system for the regulation of carbon dioxide fixation independent of that for the regulation of the biosynthesis of, in *Euglena gracilis* var. *bacillaris* (Wolfovitch, R. & Perl, M.) 819–823
Chlorophyll, evidence for a ribosomal-directed repression–de-repression system for the regulation of the biosynthesis of, in *Euglena gracilis* var. *bacillaris* (Perl, M.) 813–818
Chlorpromazine, inhibition of the alternative pathways for the metabolism of, in a guinea-pig liver preparation *in vitro* (Gorrod, J. W., Lazarus, C. R. & Beckett, A. H.) 13P
Cholest-5-ene-3β,26-diol, formation of, as an intermediate in the conversion of cholesterol into bile acids by rat liver mitochondria (Mitropoulos, K. A., Avery, M. D., Myant, N. B. & Gibbons, G. F.) 363–371
Cholesterol, enzymic sulphation of, and other steroids by larval gut tissues of the southern armyworm (Yang, R. S. H. & Wilkinson, C. F.) 487–493
Cholesterol, formation of cholest-5-ene-3β,26-diol as an intermediate in the conversion of, into bile acids by rat liver mitochondria (Mitropoulos, K. A., Avery, M. D., Myant, N. B. & Gibbons, G. F.) 363–371
Cholesterol, identification of 2,3-oxidosqualene in the liver of rats after inhibition by treatment with 1-dodecylimidazole of the biosynthesis of (Atkin, S. D., Morgan, B., Baggaley, K. H. & Green, J.) 153–157
Choline, formation of, from plasma lysophosphatidylcholine by squirrel-monkey brain *in vivo* (Illingworth, D. R. & Portman, O. W.) 557–567
[*N-Me*-^{3}H]Choline, labelling of phosphoryl choline and choline-containing phospholipids in subcellular fractions of guinea-pig cerebral cortex after the administration of (Dowdall, M. J., Barker, L. A. & Whittaker, V. P.) 1081–1094
[*N-Me*-^{3}H]Choline, labelling of stable bound acetylcholine in the synaptic-vesicle fraction of guinea-pig cerebral cortex after the administration of (Barker, L. A., Dowdall, M. J. & Whittaker, V. P.) 1063–1080
Cholinesterases, serum, horse and human, effects of temperature and pH on the inactivation of, by carbamoylation and phosphorylation (Simeon, V., Reiner, E. & Vernon, C. A.) 515–524
Chondroitin 4-sulphate, excretion and degradation of, administered to guinea pigs as free chondroitin sulphate and as protein–polysaccharide isolated from cartilage (Revell, P. A. & Muir, H.) 597–606
Chondroitin sulphate, mode of degradation of the protein–polysaccharide containing, in rat costal cartilage (Wasteson, Å., Lindahl, U. & Hallén, A.) 729–738
Chromaffin granules, adrenal-gland-medulla, ox, isolated, electrophoretic properties of (Matthews, E. K., Evans, R. J. & Dean, P. M.) 825–832
Chromatin, cerebral-cortex, ox, transcription of, by deoxyribonucleic acid-dependent ribonucleic acid polymerases from ox cerebral-cortex nuclei and *Escherichia coli* (Singh, V. K. & Sung, S. C.) 1095–1099
Chromatin, changes in the composition of the fractions of, in rat liver during diethylnitrosamine carcinogenesis (Gronow, M.) 11P
Chromatin, early effects of oestradiol-17β on the template capacity of, of rat uterus (Glasser, S. R., Chytil, F. & Spelsberg, T. C.) 947–957
Chromatin, erythrocyte, chicken, role of proteins in the condensation of (Billett, M. A. & Barry, J. M.) 10P–11P
Chromatography, column, aids to (Thomas, A. J.) 57P–58P
Chromatography, equipment for (Colloquium) 55P–59P
Chromatography, gas–liquid, review of recent trends in equipment for, in biochemical analysis (Guiochon, G.) 56P
Chromatography, liquid, high-pressure, equipment for (Knox, J. H.) 56P–57P
Chromatography, thin-layer, equipment for (Leppard, J. P.) 58P–59P
Chromatography, trends in equipment for (Reid, E.) 55P–56P
α-Chymotrypsin, use of a competitive labelling method for the determination of the ionization constants and reactivities of the two histidine residues in (Cruickshank, W. H. & Kaplan, H.) 1125–1131
Citrate, accumulation of, in lettuce after the administration of fluoroacetate (Ward, P. F. V. & Huskisson, N. S.) 575–587
Citrate synthase, functional groups in the catalysis and regulation of, from *Escherichia coli* (Danson, M. J. & Weitzman, P. D. J.) 38P–39P
Clofenapate {methyl 2-[4-(*p*-chlorophenyl)phenoxy]-2-methylpropionate}, increase in the activities of liver mitochondrial catalase and glycerol phosphate dehydrogenase on the administration of, to the rat (Krishnakantha, T. P. & Kurup, C. K. R.) 167–175
Clofibrate [ethyl α-(*p*-chlorophenoxy)isobutyrate], increase in the activities of liver mitochondrial catalase and glycerol phosphate dehydrogenase on the administration of, to the rat (Krishnakantha, T. P. & Kurup, C. K. R.) 167–175
Coat protein, alkali-soluble, properties and time of biosynthesis of, of the spores of *Bacillus subtilis* 168 (Marburg strain) (Wood, D. A.) 505–514
Coenzyme Q, *see* Ubiquinone
Collagenase, digestion by, of subcomponent C1q of complement from human and rabbit sera (Reid, K. B. M., Lowe, D. M. & Porter, R. R.) 749–763
Colon, *see* Intestine, large
Colworth Medal Lecture, the ninth: extent and control of antibody diversity (Williamson, A. R.) 325–333
Complement, isolation and characterization of subcomponent C1q of, from human and rabbit sera (Reid, K. B. M., Lowe, D. M. & Porter, R. R.) 749–763

Computer, examples of the use of contour plots produced by, in the fitting of enzyme rate equations to reaction-velocity measurements (Ottaway, J. H. & Apps, D. K.) 861–870
Computer, use of, for analysis of enzyme mechanisms and metabolic pathways (Illingworth, J. A.) 45P
Computer, use of, for the statistical analysis of radio-immunoassay data (Healy, M. J. R.) 207–210
Copper, presence of, in 2-furoyl-coenzyme A hydroxylase from *Pseudomonas putida* F2 (Kitcher, J. P., Trudgill, P. W. & Rees, J. S.) 121–132
Cortisol, effect of aflatoxin B_1 on the biosynthesis of ribonucleic acid stimulated by, in rat liver (Neal, G. E.) 619–629
Cortisol, effects of, on the biosynthesis of plasma albumin, fibrinogen and transferrin in rat liver *in vivo* (Jeejeebhoy, K. N., Bruce-Robertson, A., Ho, J. & Sodtke, U.) 533–538
Cortisol, mechanism of action of, in rat liver (Sluyser, M.) 49P–50P
Cortisone reductase, influence of a 17β-sulphate group on the reduction of a steroid 3-oxo group by (Gibb, W. & Jeffery, J.) 37P
p-Coumarate, purification and properties of the hydroxylating enzyme catalysing the conversion of, into caffeate from *Streptomyces nigrifaciens* (Nambudiri, A. M. D., Bhat, J. V. & Subba Rao, P. V.) 425–433
Creatine kinase, activity of, in cultures of differentiating myoblasts (Zalin, R.) 79P
Cromoglycate, disodium, effect of inducers on the metabolism and excretion of, in the rat (Neale, M. G. & Moss, G. F.) 85P–86P
Crotalus durissus terrificus, *see* Rattlesnake
3′:5′-Cyclic adenosine monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate
Cyclohexanone oxygenase, purification and properties of, from *Nocardia globerula* CL1 (Norris, D. B. & Trudgill, P. W.) 30P
D-Cycloserine (D-4-aminoisoxaolid-3-one), permeability of human buccal mucosa to (Evered, D. F.) 16P
Cytochrome *c*, oxidase, effects of oxygen concentration on the activity of, in *Saccharomyces cerevisiae* grown with an excess or a deficiency of potassium ions in the medium (Bartley, W. & Broomhead, V. M.) 251–258
Cytochrome *P*-450, microsomal, liver, rat, comparison of the interactions of trichlorofluoromethane and carbon tetrachloride with (Cox, P. J., King, L. J. & Parke, D. V.) 87P
Cytochrome *P*-450, spectral evidence for the presence of, in microsomal fractions obtained from some higher plants (Markham, A., Hartman, G. C. & Parke, D. V.) 90P
Cytochromes, formation of, in *Saccharomyces carlsbergensis* N.C.Y.C. 74S during respiratory adaptation (Cartledge, T. G., Lloyd, D., Erecińska, M. & Chance, B.) 739–747
Cytokinins, effects of, on the phosphorylation of proteins in Chinese-cabbage leaf discs and in subcellular fractions from Chinese-cabbage leaves, tobacco leaves and carrot tissue (Ralph, R. K., McCombs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911
Cytokinins, quantitative limit for the incorporation of, into transfer ribonucleic acid by soya-bean callus tissue (Elliott, D. C. & Murray, A. W.) 1157–1160
Cytosol preparation, mesocarp, avocado, maturing, β-hydroxylation of medium-chain fatty acids by (Harwood, J. L., Sodja, A. & Stumpf, P. K.) 1013–1018

Daucus carota, *see* Carrot
Decanoate, β-hydroxylation of octanoate, dodecanoate and, by a cytosol preparation from maturing avocado mesocarp (Harwood, J. L., Sodja, A. & Stumpf, P. K.) 1013–1018
Deoxyribonucleic acid, high-molecular-weight, incorporation of [^{3}H]thymidine triphosphate first into low-molecular-weight pieces of deoxyribonucleic acid and then into, by permealysed Ehrlich ascites cells *in vitro* (Burgoyne, L. A.) 959–964
Deoxyribonucleic acid, light-scattering studies of the flexibility of the small circular molecule of, of bacteriophage ϕX174 in solution (Jolly, D. J. & Campbell, A. M.) 1019–1028
Deoxyribonucleic acid, prolactin-stimulated biosynthesis of, in rabbit mammary-gland tissue (Bourne, R. A., Bryant, J. A., Grierson, D. & Falconer, I. R.) 10P
Deoxyribonucleic acids, effect of tri-iodothyronine on the transcription of, of different degrees of redundancy in frog (*Rana pipiens*) tadpoles (Flickinger, R. A. & Roche, F. M.) 319–320
Deoxyribose, dimensions and shapes of the furanose rings of ribose and, in nucleosides, nucleotides and nucleic acids (Arnott, S. & Hukins, D. W. L.) 453–465
Development, regulation of the amounts of enzymes in rat liver during (Greengard, O.) 48P–49P
Diaphragm muscle, rat, effects of 5-thio-D-glucose on the transport of D-xylose and D-arabinose by (Whistler, R. L. & Lake, W. C.) 919–925
Dibenz[*a*,*c*]anthracene 10,11-epoxide, synthesis of, and its metabolism by rat liver preparations (Sims, P.) 27–35
Dibenz[*a*,*c*]anthracene, metabolism of, by rat liver preparations (Sims, P.) 27–35
Diglycerides, activities of enzymes utilizing triglycerides, monoglycerides and, in muscles from vertebrate and invertebrate animals (Crabtree, B. & Newsholme, E. A.) 697–705
10,11-Dihydrodibenz[*a*,*c*]anthracene, metabolism of, by rat liver preparations (Sims, P.) 27–35
Dihydrogossypetin, hydroxylation of taxifolin to form, by cell-free extracts from *Pseudomonas* sp. N.C.I.B. 9940 grown on (+)-catechin (Jeffrey, A. M., Knight, M. & Evans, W. C.) 373–381
Dihydrogossypetin, oxidative cleavage of, to form oxaloacetate and 5-(3,4-dihydroxyphenyl)-4-hydroxy-3-oxovalero-δ-lactone by cell-free extracts from *Pseudomonas* sp. N.C.I.B. grown on (+)-catechin (Jeffrey, A. M., Jerina, D. M., Self, R. & Evans, W. C.) 383–390
Dihydroxyacetone phosphate pathway, tritium isotope effects in the measurement of the glycerol phosphate pathway and, for the biosynthesis of glycerolipids in rat liver (Manning, R. & Brindley, D. N.) 1003–1012
3,5-Dihydroxyphenylacetate, identification of, as a major metabolite of the flavonols myricetin and myricitrin in the rat (Griffiths, L. A. & Smith, G. E.) 141–151

5-(3,4-Dihydroxyphenyl)-4-hydroxy-3-oxovalero-δ-lactone, oxidative cleavage of dihydrogossypetin to form oxaloacetate and, by cell-free extracts from *Pseudomonas* sp. N.C.I.B. grown on (+)-catechin (Jeffrey, A. M., Jerina, D. M., Self, R. & Evans, W. C.) 383–390
3,5-Dihydroxyphenylpropionate, identification of, as a major metabolite of the flavones tricetin and tricin in the rat (Griffiths, L. A. & Smith, G. E.) 141–151
Dihydroxypyridines, formation of, as metabolites of pyridine and hydroxypyridines by various micro-organisms (Houghton, C. & Cain, R. B.) 879–893
Diphosphoinositide, regulation by, of the fructose 1,6-diphosphatase activity of rabbit liver *in vitro* (Allen, M. B. & Blair, J. McD.) 1167–1169
Disodium DL-glycerol 3-phosphate hexahydrate, stereochemical structure of (Fenn, R. H. & Marshall, G. E.) 1–10
Dodecanoate, β-hydroxylation of octanoate, decanoate and, by a cytosol preparation from maturing avocado mesocarp (Harwood, J. L., Sodja, A. & Stumpf, P. K.) 1013–1018
1-Dodecylimidazole, isolation of 2,3-oxidosqualene from the liver of rats treated with (Atkin, S. D., Morgan, B., Baggaley, K. H. & Green, J.) 153–157
Dolichol phosphate, transfer of mannose from guanosine diphosphate mannose to, and protein by pig liver microsomal preparations (Richards, J. B. & Hemming, F. W.) 77–93
Drug-metabolizing enzymes, liver, chicken, factors affecting the activity of (Drummond, A. H., McCall, J. M. & Jondorf, W. R.) 73P–74P
Drug-metabolizing enzymes, microsomal, liver, hamster, daily rhythmic variations in the activity of, and in associated parameters (Burke, M. D., Lake, B. G., Tredger, J. M., Chakraborty, J. & Bridges, J. W.) 72P
Drug-metabolizing enzymes, microsomal, liver, hamster, influence of storage conditions on the activity of (Burke, M. D. & Bridges, J. W.) 71P–72P

α-Ecdysone, enzymic sulphation of, and other steroids by larval gut tissues of the southern armyworm (Yang, R. S. H. & Wilkinson, C. F.) 487–493
Ehrlich ascites cells, permealysed, incorporation of [^{3}H]-thymidine triphosphate first into low-molecular-weight pieces of deoxyribonucleic acid and then into high-molecular-weight deoxyribonucleic acid by, *in vitro* (Burgoyne, L. A.) 959–964
Elastin, soluble, isolation of, from the aortae of lathyritic chicks (Sykes, B. C. & Partridge, S. M.) 1171–1172
Electrical stimulation, quantities of adenine derivatives liberated on, of superfused guinea-pig cerebral neocortical tissues (Pull, I. & McIlwain, H.) 975–981
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Endotoxins, bacterial, certain, chemical and biological aspects of (Janda, J.) 89P–90P
Endotoxins in a lipopolysaccharide preparation and cell envelope of *Escherichia coli* A.T.C.C. 12408 (Janda, J.) 41P–42P
Enzyme kinetics, analysis of progress curves in (Cornish-Bowden, A. J.) 637–639
Enzymes, examples of the use of computer-produced contour plots in the fitting of rate equations for, to reaction-velocity measurements (Ottaway, J. H. & Apps, D. K.) 861–870
Enzymes, induction of (Colloquium) 47P–55P
Enzymes, induction of, in bacteria (Clarke, P. H.) 47P–48P
Erabutoxin c, isolation, properties and amino acid sequence of, a minor neurotoxic component of the venom of the sea snake *Laticauda semifasciata* (Tamiya, N. & Abe, H.) 547–555
Eremothecium ashbyii, stimulation by ribitol of flavinogenesis in (Mehta, S. U., Mattoo, A. K. & Modi, V. V.) 159–166
Erythrocytes, chicken, fusion of, by non-ionic surface-active adjuvants (Ahkong, Q. F., Cramp, F. C., Fisher, D., Howell, J. I., Tampion, W. & Lucy, J. A.) 44P–45P
Erythrocytes, human, effects of ethylenediaminetetra-acetate and deoxycholate on kinetic constants of the calcium ion-dependent adenosine triphosphatase of membranes from (Wolf, H. U.) 311–314
Erythrocytes, human, kinetic properties of the two common inherited forms of adenylate kinase of (Brownson, C. & Spencer, N.) 805–811
Erythrocytes, human, partial purification and properties of the two common inherited forms of adenylate kinase of (Brownson, C. & Spencer, N.) 797–803
Escherichia coli, transcription of ox cerebral-cortex chromatin by deoxyribonucleic acid-dependent ribonucleic acid polymerase from (Singh, V. K. & Sung, S. C.) 1095–1099
Escherichia coli W3310, preparation of gram quantities of a purified R-factor-mediated penicillinase from (Melling, J. & Scott, G. K.) 55–62
Estradiol, *see* Oestradiol
Ethanolamine *O*-sulphate, active-site-directed irreversible inhibition by, of rat brain 4-aminobutyrate aminotransferase *in vitro* and *in vivo* (Fowler, L. J. & John, R. A.) 569–573
Ethanolamine triphosphate, identification of, among the low-molecular-weight solutes released during mild acid hydrolysis of the lipopolysaccharide from *Pseudomonas aeruginosa* N.C.T.C. 1999 (Drewry, D. T., Gray, G. W. & Wilkinson, S. G.) 289–295
Ethoxyquin, effects of, on rat liver microsomal enzymes (Parke, D. V., Rahim, A. & Walker, R.) 84P
Ethyl α-(*p*-chlorophenoxy)isobutyrate (clofibrate), increase in the activities of liver mitochondrial catalase and glycerol phosphate dehydrogenase on the administration of, to the rat (Krishnakantha, T. P. & Kurup, C. K. R.) 167–175
Euglena gracilis var. *bacillaris*, evidence for a ribosomal-directed repression–de-repression system for the regulation of carbon dioxide fixation in (Wolfovitch, R. & Perl, M.) 819–823
Euglena gracilis var. *bacillaris*, evidence for a ribosomal-directed repression–de-repression system for the regulation of the biosynthesis of chlorophyll in (Perl, M.) 813–818

Fat, milk, quantitative aspects of the biohydrogenation, absorption and transfer of fatty acids into, in the lactating goat (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 607–617

Fatty acids, dimeric, origin and structures of, from the anaerobic reaction between soya-bean lipoxygenase, linoleate and linoleate hydroperoxide (Garssen, G. J., Vliegenthart, J. F. G. & Boldingh, J.) 435–442
Fatty acids, medium-chain, β-hydroxylation of, by a cytosol preparation from maturing avocado mesocarp (Harwood, J. L., Sodja, A. & Stumpf, P. K.) 1013–1018
Fatty acids, quantitative aspects of the biohydrogenation, absorption and transfer of, into milk fat in the lactating goat (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 607–617
Ferrous ions, catalysis by, of the autoxidation of retinol in aqueous colloidal dispersions (Fisher, D., Lichti, F. U. & Lucy, J. A.) 259–270
Fibrinogen, effect of an inhibitor of the action of thrombin on, on the thrombin-induced aggregation of human platelets (Flengsrud, R., Eika, C. & Prydz, H.) 899–900
Fibrinogen, effects of cortisol on the biosynthesis of plasma albumin, transferrin and, in rat liver *in vivo* (Jeejeebhoy, K. N., Bruce-Robertson, A., Ho, J. & Sodtke, U.) 533–538
Fibroblasts, rat-embryo, cultured, normal and spontaneously transformed, isolation and characterization of surface-membrane and endoplasmic-reticulum fractions from (Graham, J. M.) 1113–1124
Flavinogenesis, stimulation by ribitol of, in *Eremothecium ashbyii* (Mehta, S. U., Mattoo, A. K. & Modi, V. V.) 159–166
Flavonoids, metabolism of, in germ-free rats (Griffiths, L. A. & Barrow, A.) 1161–1162
Flavonoids, metabolism of, related to myricetin in the rat *in vivo* and by its intestinal microflora *in vitro* (Griffiths, L. A. & Smith, G. E.) 141–151
Flight muscle, *see* Muscle, flight
Fluoroacetate, metabolism of, in lettuce (Ward, P. F. V. & Huskisson, N. S.) 575–587
Fluorocitrate, formation of, from fluoroacetate in lettuce (Ward, P. F. V. & Huskisson, N. S.) 575–587
1-Fluoro-2,4-dinitrobenzene, use of, in a competitive labelling method for the determination of the ionization constants and reactivities of individual histidine residues in proteins (Cruickshank, W. H. & Kaplan, H.) 1125–1131
1-Fluoro-2-nitro-4-trimethylammoniobenzene iodide, evaluation of, as a protein-solubilizing reagent (Sutton, D. A., Drewes, S. E. & Welz, U.) 589–595
Fluoropropanediols, activities of propanediols and, as substrates and inhibitors of glycerol kinase from *Candida mycoderma* (Eisenthal, R., Harrison, R., Lloyd, W. J. & Taylor, N. F.) 199–205
Folates, effects of L-methionine on the concentrations of, in *Saccharomyces cerevisiae* A.T.C.C. 9763 (Lor, K. L. & Cossins, E. A.) 773–783
Follicle-stimulating hormone, pituitary-gland, human, use of methylation analysis for investigation of the structure of the carbohydrate moiety of (Kennedy, J. F. & Chaplin, M. F.) 417–423
Frog (*Rana pipiens*), tadpoles, effect of tri-iodothyronine on the transcription of deoxyribonucleic acids of different degrees of redundancy in (Flickinger, R. A. & Roche, F. M.) 319–320
Fructose diphosphatase, activities of pyruvate carboxylase, phosphoenolpyruvate carboxylase and, in muscles from various vertebrate and invertebrate animal species (Crabtree, B., Higgins, S. J. & Newsholme, E. A.) 391–396
Fructose 1,6-diphosphatase, liver, mammalian, structure and function of (Pontremoli, S.) 1P–2P
Fructose 1,6-diphosphatase, liver, ox, purification and properties of (Nimmo, H. G. & Tipton, K. F.) 22P–23P
Fructose 1,6-diphosphatase, liver, rabbit, regulation by phospholipids of the activity of, *in vitro* (Allen, M. B. & Blair, J.McD.) 1167–1169
2-Furoyl-coenzyme A hydroxylase, purification and properties of, from *Pseudomonas putida* F2 (Kitcher, J. P., Trudgill, P. W. & Rees, J. S.) 121–132

D-Galactosamine, metabolic studies in experimental liver disease in the rat resulting from the administration of (Record, C. O., Alberti, K. G. M. M. & Williamson, D. H.) 37–44
D-Galactose, inhibition by 5-thio-D-glucose of the transport of, by rabbit kidney-cortex slices (Whistler, R. L. & Lake, W. C.) 919–925
Geraniol, biosynthesis of, and its β-D-glucoside from mevalonate in pelargonium leaves and rose petals (Banthorpe, D. V., Le Patourel, G. N. J. & Francis, M. J. O.) 1045–1054
Germination, development of the activities of enzymes involved in the biosynthesis of isoprenoids from mevalonate during early stages of, of pea seeds (Green, T. R. & Baisted, D. J.) 983–995
γ-Globulin antibodies, specific, binding of, to subfractions of mouse liver plasma membranes (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 271–280
α_1-Globulins, acute-phase, serum, rat, microheterogeneity of, after isoelectric focusing (Gordon, A. H. & Dykes, P. J.) 95–101
Glucokinase, activities of hexokinase isoenzymes and, in isolated rat liver parenchymal cells (Werner, H. V., Bartley, J. C. & Berry, M. N.) 1153–1155
Gluconeogenesis, activities of enzymes involved in, in muscles from various vertebrate and invertebrate animal species (Crabtree, B., Higgins, S. J. & Newsholme, E. A.) 391–396
Gluconeogenesis, decrease in, in experimental liver disease in the rat resulting from the administration of D-galactosamine (Record, C. O., Alberti, K. G. M. M. & Williamson, D. H.) 37–44
Gluconeogenesis, development of some enzymes of, in the liver and kidney of the foetal guinea pig (Jones, C. T. & Ashton, I. K.) 23P–24P
Gluconeogenesis from lactate by a suspension of fragmented tubules from rat kidney (Dawson, A. G.) 525–532
Gluconeogenesis, relationship of, to the formation of ammonia from glutamine and glutamate by isolated perfused kidneys of normal and acidotic rats (Hems, D. A.) 671–680
Gluconeogenesis, some properties of guinea-pig liver fructose 1,6-diphosphatase in relation to the control of (Jones, C. T.) 23P

Glucose, biosynthesis of, from lactate by a suspension of fragmented tubules from rat kidney (Dawson, A. G.) 525–532
Glucose, decrease in the formation of, from lactate in experimental liver disease in the rat resulting from the administration of D-galactosamine (Record, C. O., Alberti, K. G. M. M. & Williamson, D. H.) 37–44
Glucose, differences in the metabolism of, between normal and dystrophic human muscle (Ellis, D. A. & Strickland, J. M.) 17P–18P
D-[U-^{14}C]Glucose, incorporation of radioactivity from, into extracellular polysaccharides biosynthesized in maize root tissues (Bowles, D. J. & Northcote, D. H.) 1133–1145
Glucose 6-phosphatase, microsomal, liver, rat, alteration by increased phospholipid depletion of the apparent specificity of the phospholipid-dependence of (Cater, B. R. & Hallinan, T.) 7P
Glucose 6-phosphate dehydrogenase, yeast, effect of substitution at C-2 of D-glucose 6-phosphate on the rate of dehydrogenation by (Thomas, P. & Bessell, E. M.) 21P
Glucose phosphate isomerase, yeast, effect of deoxy-fluoro-D-glucopyranose 6-phosphates on (Bessell, E. M. & Thomas, P.) 20P–21P
Glucose, regulation of the metabolism of, in perfused locust flight muscle (Ford, W. C. L. & Candy, D. J.) 1101–1112
Glucose, relationship of the formation of, to the formation of ammonia from glutamine and glutamate by isolated perfused kidneys of normal and acidotic rats (Hems, D. A.) 671–680
Glucose, temporal aspects of the metabolism of, in the rat at birth (Snell, K. & Walker, D. G.) 6P–7P
Glutamate decarboxylase, effect of undernutrition in early life on the activity of, in the brain of adult rats (Adlard, B. P. F., Dobbing, J., Lynch, A., Balázs, R. & Reynolds, A. P.) 12P
Glutamate dehydrogenase, interpretation of abrupt transitions in Lineweaver–Burk plots for, and other enzymes (Engel, P. C.) 42P–43P
Glutamate dehydrogenase, liver, ox, coenzyme-binding studies in an investigation of negative co-operativity in (D'Eril, G. M. & Dalziel, K.) 3P
Glutamate dehydrogenase, liver, ox, mechanisms for the control of enzymic rates illustrated by the example of (Frieden, C.) 1P
Glutamate, metabolism of glutamine and, by isolated perfused kidneys of normal and acidotic rats (Hems, D. A.) 671–680
Glutamine, metabolism of glutamate and, by isolated perfused kidneys of normal and acidotic rats (Hems, D. A.) 671–680
Glutathione, oxidized, lack of effect of, on the binding of rat liver and hepatoma polyribosomes to stripped rough endoplasmic reticulum *in vitro* (Hochberg, A. A., Stratman, F. W., Zahlten, R. N., Morris, H. P. & Lardy, H. A.) 19–25
Glutathione, reduced, oxidation of, by a preparation of glucose oxidase from *Aspergillus niger* (Young, J. D. & Nimmo, I. A.) 33P
Glutathione, reduced, utilization of, in the defluorination of fluoroacetate by lettuce (Ward, P. F. V. & Huskisson, N. S.) 575–587
Glyceraldehyde 3-phosphate dehydrogenase, thermostable, purification by affinity chromatography of, from *Thermus aquaticus* (Hocking, J. D. & Harris, J. I.) 24P–25P
Glycerol, activities of fluoro and deoxy analogues of, as substrates and inhibitors of glycerol kinase from *Candida mycoderma* (Eisenthal, R., Harrison, R., Lloyd, W. J. & Taylor, N. F.) 199–205
Glycerol, enzyme adaptation for the utilization of, in neonatal rats (Ward, C. J. & Walker, D. G.) 76P
Glycerol kinase, activities of fluoro and deoxy analogues of glycerol as substrates and inhibitors of, from *Candida mycoderma* (Eisenthal, R., Harrison, R., Lloyd, W. J. & Taylor, N. F.) 199–205
Glycerol kinase, activities of lipases and, in flight muscles of various insects (Crabtree, B. & Newsholme, E. A.) 697–705
Glycerol phosphate dehydrogenase, mitochondrial, liver, increase in the activity of, on the administration of clofibrate and clofenapate to the rat (Krishnakantha, T. P. & Kurup, C. K. R.) 167–175
Glycerol 3-phosphate dehydrogenase, mitochondrial, liver, rat, tritium isotope effect in the discrimination of, against [2-^{3}H]glycerol 3-phosphate as substrate (Manning, R. & Brindley, D. N.) 1003–1012
DL-Glycerol 3-phosphate, disodium, stereochemical structure of the hexahydrate of (Fenn, R. H. & Marshall, G. E.) 1–10
Glycerol phosphate pathway, tritium isotope effects in the measurement of the dihydroxyacetone phosphate pathway and, for the biosynthesis of glycerolipids in rat liver (Manning, R. & Brindley, D. N.) 1003–1012
Glycerolipids, tritium isotope effects in the measurement of the glycerol phosphate and dihydroxyacetone phosphate pathways for the biosynthesis of, in rat liver (Manning, R. & Brindley, D. N.) 1003–1012
Glycine, inhibition by 5-thio-D-glucose of the transport of, by rat kidney-cortex slices (Whistler, R. L. & Lake, W. C.) 919–925
Glycine max, *see* Soya bean
Glycogen, accumulation of, in cultured skin fibroblasts (Lake, B. D. & Marsden, J. C.) 5P
Glycogen synthetase, liver, activation of, *in vitro* (Patel, H. M. & Ryman, B. E.) 18P
Glycolysis, regulation of, in perfused locust flight muscle (Ford, W. C. L. & Candy, D. J.) 1101–1112
Glycolytic pathway, purification and properties of four enzymes of, from coelacanth (*Latimeria chalumnae*) muscle (Kolb, E. & Harris, J. I.) 26P
Glyoxylate, effect of, on the thermal inactivation and reactivation of pantothenate hydrolase of *Pseudomonas fluorescens* UK-1 *in vivo* (Airas, R. K.) 111–119
Golgi apparatus, identification of, as a focal point in the system for the biosynthesis and transport of polysaccharides in maize root tissues (Bowles, D. J. & Northcote, D. H.) 1133–1145
Granulose, regulation of the biosynthesis of, in *Clostridium pasteurianum* N.C.I.B. 9486 (Robson, R. L., Robson, R. M. & Morris, J. G.) 4P–5P
Growth hormone, ox, effect of hypophysectomy and subsequent replacement therapy with, on the lactose synthetase activity of lactating rabbit mammary gland (Jones, E. A. & Cowie, A. T.) 997–1002

gua operon, polarity in, of *Escherichia coli* K12 (Lambden, P. R. & Drabble, W. T.) 29P
Guanidinium chloride, dissociation of avidin–biotin complexes with (Green, N. M. & Toms, E. J.) 707–711
Guanosine diphosphate mannose, transfer of mannose from, to dolichol phosphate and protein by pig liver microsomal preparations (Richards, J. B. & Hemming, F. W.) 77–93

Haem, effects of drugs on the activities of 5-aminolaevulinate synthetase and other enzymes in the pathway for the biosynthesis of, in mammalian liver (De Matteis, F.) 52P–53P
Halobacterium cutirubrum, properties of the ribosomal proteins and ribonucleic acid of ribosomes from (Visentin, L. P., Chow, C., Matheson, A. T., Yaguchi, M. & Rollin, F.) 103–110
Halobacterium salinarium, purification and properties of nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase from (Aitken, D. M. & Brown, A. D.) 645–662
Heart muscle, pig, partial amino acid sequence of aspartate aminotransferase from (Doonan, S., Doonan, H. J., Riva, F., Vernon, C. A., Walker, J. M., Bossa, F., Barra, D., Carloni, M. & Fasella, P.) 443–452
Heart, ox, proton translocation coupled to quinone reduction by reduced nicotinamide–adenine dinucleotide in mitochondria from (Lawford, H. G. & Garland, P. B.) 1029–1044
Heavy chain, amino acid sequence of the *N*-terminal sixty-nine residues of, derived from a homogeneous rabbit antibody (Jaton, J.-C. & Braun, D. G.) 539–546
Hen, *see* Chicken
Hepatitis, experimental, metabolic studies in, in the rat resulting from the administration of D-galactosamine (Record, C. O., Alberti, K. G. M. M. & Williamson, D. H.) 37–44
Hepatoma, rat, evidence that the binding of polyribosomes from, to stripped rough endoplasmic reticulum *in vitro* is an unsuitable indicator of biological significance *in vivo* (Hochberg, A. A., Stratman, F. W., Zahlten, R. N., Morris, H. P. & Lardy, H. A.) 19–25
Hexokinase, activities of glucokinase and isoenzymes of, in isolated rat liver parenchymal cells (Werner, H. V., Bartley, J. C. & Berry, M. N.) 1153–1155
Hexokinase, brain, guinea-pig, activation of, by magnesium ions and by magnesium ion–adenosine triphosphate complex (Purich, D. L. & Fromm, H. J.) 63–69
Hill reaction, relationship between, of photosynthesis and the biosynthesis of nitrate reductase and nitrite reductase in rice seedlings (Sawhney, S. K. & Naik, M. S.) 475–485
Histidine residues, individual, competitive labelling method for the determination of the ionization constants and reactivities of, in proteins (Cruickshank, W. H. & Kaplan, H.) 1125–1131
Histones, early effects of oestradiol-17β on the acetylation of, in rat uterus (Libby, P. R.) 663–669
Histones, effects of oestradiol-17β on the concentrations of non-histone proteins and, of the chromatin of rat uterus (Glasser, S. R., Chytil, F. & Spelsberg, T. C.) 947–957
Hydrocortisone, *see* Cortisol
Hydrogen ions, translocation of, coupled to quinone reduction by reduced nicotinamide–adenine dinucleotide in rat liver and ox heart mitochondria (Lawford, H. G. & Garland, P. B.) 1029–1044
Hydrogen isotope (^{3}H), effects of, in the measurement of the glycerol phosphate and dihydroxyacetone phosphate pathways for the biosynthesis of glycerolipids in rat liver (Manning, R. & Brindley, D. N.) 1003–1012
Hydrogen peroxide, formation of, during the autoxidation of retinol in aqueous colloidal dispersions (Fisher, D., Lichti, F. U. & Lucy, J. A.) 259–270
3-Hydroxy steroid oxidoreductases, nicotinamide–adenine dinucleotide-linked, two, major influence of a 1α,2α-methylene group on the reduction of a steroid 3-oxo group by (Gibb, W. & Jeffery, J.) 37P–38P
3-Hydroxybutyrate, novel pathway for growth on malonate and, utilized by *Pseudomonas* AM 1 (Anthony, C. & Dunstan, P. M.) 30P–31P
26-Hydroxycholesterol, formation of, as an intermediate in the conversion of cholesterol into bile acids by rat liver mitochondria (Mitropoulos, K. A., Avery, M. D., Myant, N. B. & Gibbons, G. F.) 363–371
Hydroxylysine, detection of hydroxyproline and, in subcomponent C1q of complement from human and rabbit sera (Reid, K. B. M., Lowe, D. M. & Porter, R. R.) 749–763
3-Hydroxy-3-methylglutaryl-coenzyme A reductase, liver, rat, evidence that the diurnal variation in the activity of, is initiated by feeding (Booth, R., Gregory, K. W. & Smith, C. Z.) 72P–73P
3-Hydroxy-3-methylglutaryl-coenzyme A reductase, microsomal, liver, rat, diurnal variations in the activity of, in relation to feeding (Gregory, K. W., Smith, C. Z. & Booth, R.) 1163–1165
3-Hydroxy-3-methylglutaryl-coenzyme A synthase, activity of, in rabbit caecal mucosa (Henning, S. J. & Hird, F. J. R.) 785–790
o-Hydroxyphenylacetate, concentrations of phenyllactate, phenylacetate and, in the brain and liver of rats with experimentally induced characteristics similar to those of phenylketonuria (Edwards, D. J. & Blau, K.) 495–503
Hydroxyproline, detection of hydroxylysine and, in subcomponent C1q of complement from human and rabbit sera (Reid, K. B. M., Lowe, D. M. & Porter, R. R.) 749–763
Hydroxypyridines, formation of dihydroxypyridines as metabolites of pyridine and, by various microorganisms (Houghton, C. & Cain, R. B.) 879–893
Hypophysectomy, effect of, and subsequent replacement therapy with sheep prolactin or ox growth hormone on the lactose synthetase activity of lactating rabbit mammary gland (Jones, E. A. & Cowie, A. T.) 997–1002
Hypoxanthine, quantities of, and other adenine derivatives liberated on electrical stimulation of superfused guinea-pig cerebral neocortical tissues (Pull, I. & McIlwain, H.) 975–981

Immunoadsorbent, specific, use of, for the isolation of lipoprotein B from human serum high-density lipoproteins (Kostner, G.) 913–917
Immunoassays, radio-, statistical analysis of data from (Healy, M. J. R.) 207–210

Immunoglobulin G, role of the light-chain pool in the assembly of, by mouse plasmacytoma Adj PC5 (Stott, D. I.) 1151–1152

Immunoglobulin, rabbit, homogeneous, amino acid sequence of the *N*-terminal sixty-nine residues of heavy chain derived from (Jaton, J.-C. & Braun, D. G.) 539–546

Immunoglobulins, extent and control of the diversity of (Williamson, A. R.) 325–333

Inosine, quantities of, and other adenine derivatives liberated on electrical stimulation of superfused guinea-pig cerebral neocortical tissues (Pull, I. & McIlwain, H.) 975–981

D-*myo*Inositol 1:2-cyclic phosphate 2-phosphatase, localization of, in the brush border of rat kidney (Clarke, N. & Dawson, R. M. C.) 229–238

Insulin, [monoiodotyrosine]-, preparation and properties of (Bihler, D. A. & Morris, J. W. S.) 321–324

Insulin, ox, solubilization of, by reaction with 1-fluoro-2-nitro-4-trimethylammoniobenzene iodide (Sutton, D. A., Drewes, S. E. & Welz, U.) 589–595

Insulin, sulphated, metabolism of, in the rat (Thomas, J. H. & Curtis, C. G.) 81P

Intestine, large, rabbit, formation of ketone bodies from butyrate and acetate by tissue from, and caecum *in vitro* (Henning, S. J. & Hird, F. J. R.) 785–790

Intestine, large, rabbit, transport of acetate and butyrate by, and caecum *in vivo* and *in vitro* (Henning, S. J. & Hird, F. J. R.) 791–796

Intestine, small, absorption of fatty acids by, and their subsequent transfer into milk fat in the lactating goat (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 607–617

Iron–sulphur systems, spin–spin interaction between molybdenum and one of, of xanthine oxidase and its relevance to the enzymic mechanism (Lowe, D. J., Lynden-Bell, R. M. & Bray, R. C.) 239–249

Islets of Langerhans, normalization of blood glucose concentration, blood insulin concentration and weight gain in New Zealand obese mice after the implantation of, in Millipore diffusion chambers (Gates, R. J., Hunt, M. I., Smith, R. & Lazarus, N. R.) 26P–27P

Isocitrate dehydrogenase, nicotinamide–adenine dinucleotide phosphate-linked, purification and properties of, from *Halobacterium salinarium* (Aitken, D. M. & Brown, A. D.) 645–662

Isocitrate dehydrogenase, nicotinamide–adenine dinucleotide phosphate-linked, separation and properties of two isoenzymes of, from *Acinebacter lwoffi* 4B (Self, C. H. & Weitzman, P. D. J.) 211–219

Isocitrate dehydrogenase, yeast, properties of (Illingworth, J. A.) 3P–4P

Isoleucine residue, *N*-terminal, modification and removal of, of ox pancreatic trypsin by transamination (Webster, D. & Offord, R. E.) 315–317

Isopentenyl pyrophosphate/dimethylallyl pyrophosphate prenyltransferase, evidence that the activity of, is rate-limiting in the pathway for the biosynthesis of squalene from mevalonate during the germination of pea seeds (Green, T. R. & Baisted, D. J.) 983–995

Isoprenaline, identification of a lipid-mobilizing factor from sheep midbrain as (Shah, P. P., Tee, A. R., English, P. D., Redman, B. T. & Bunyan, J.) 467–473

Isoprenoids, development of the activities of enzymes involved in the biosynthesis of, from mevalonate during early stages of the germination of pea seeds (Green, T. R. & Baisted, D. J.) 983–995

Keratin, wool, amino acid sequence of protein SCMK-B2A from the high-sulphur fraction of (Elleman, T. C.) 833–845

Ketone bodies, formation of, during the absorption of butyrate by rabbit caecum *in vivo* and *in vitro* (Henning, S. J. & Hird, F. J. R.) 791–796

Ketone bodies, formation of, from butyrate and acetate by tissue from rabbit caecum and large intestine *in vitro* (Henning, S. J. & Hird, F. J. R.) 785–790

Kidney cells, baby-hamster, cultured, normal and polyoma-virus-transformed, isolation and characterization of surface-membrane and endoplasmic-reticulum fractions from (Graham, J. M.) 1113–1124

Kidney cortex, rabbit, inhibition by 5-thio-D-glucose of the transport of D-galactose and methyl α-D-glucoside by slices of (Whistler, R. L. & Lake, W. C.) 919–925

Kidney cortex, rat, inhibition by 5-thio-D-glucose of the transport of neutral amino acids by slices of (Whistler, R. L. & Lake, W. C.) 919–925

Kidney, rat, localization of D-*myo*inositol 1:2-cyclic phosphate 2-phosphatase in the brush border of (Clarke, N. & Dawson, R. M. C.) 229–238

Kidney, rat, normal and acidotic, perfused, isolated, metabolism of glutamine and glutamate by (Hems, D. A.) 671–680

Kidney, rat, preparation and properties of a suspension of fragmented tubules from (Dawson, A. G.) 525–532

Kinetin, effects of, on the phosphorylation of proteins in Chinese-cabbage leaf discs and in subcellular fractions from Chinese-cabbage leaves, tobacco leaves and carrot tissue (Ralph, R. K., McCombs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911

Klebsiella pneumoniae M5a1, effects of Viologen dyes on the reduction of acetylene by nitrogenase from (Ware, D. A.) 301–302

Klebsiella pneumoniae, electron-paramagnetic-resonance studies on the catalytic mechanism of nitrogenase from (Smith, B. E., Lowe, D. J. & Bray, R. C.) 641–643

β-Lactamase, R-factor-mediated, purified, preparation of gram quantities of, from *Escherichia coli* W3310 (Melling, J. & Scott, G. K.) 55–62

Lactate, biosynthesis of glucose from, by a suspension of fragmented tubules from rat kidney (Dawson, A. G.) 525–532

Lactate, decrease in the formation of glucose from, in experimental liver disease in the rat resulting from the administration of D-galactosamine (Record, C. O., Alberti, K. G. M. M. & Williamson, D. H.) 37–44

D- and L-Lactate dehydrogenases, properties of, of *Pseudomonas aeruginosa* A.T.C.C. 15692 (Kemp, M. B.) 307–309

Lactation, biosynthesis of polyamines in rat mammary gland during pregnancy and (Russell, D. H. & McVicker, T. A.) 71–76

Lactation, effect of hypophysectomy and subsequent replacement therapy with sheep prolactin or ox growth hormone on the lactose synthetase activity of lactating rabbit mammary gland during (Jones, E. A. & Cowie, A. T.) 997–1002

Lactation, quantitative aspects of the biohydrogenation, absorption and transfer of fatty acids into milk fat in the goat during (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 607–617

Lactose, concentrations of *N*-acetylneuraminyl-lactose and, in rat milk and mammary gland (Kuhn, N. J.) 177–180

Lactose synthetase, possible role of a thiol group in the A protein of (Kitchen, B. J. & Andrews, P.) 80P

Lactose synthetase system, effect of hypophysectomy and subsequent replacement therapy with sheep prolactin and ox growth hormone on the activity of, in lactating rabbit mammary gland (Jones, E. A. & Cowie, A. T.) 997–1002

Lactose synthetase system, structure and regulation of (Brew, K., Findlay, J. B. C. & Khatra, B. S.) 2P–3P

Lactuca sativa, *see* Lettuce

Large intestine, *see* Intestine, large

Lathyrism, 3-aminopropionitrile-induced, isolation of soluble elastin from the aortae of chicks suffering from (Sykes, B. C. & Partridge, S. M.) 1171–1172

Laticauda semifasciata, *see* Sea snake

Laurate, *see* Dodecanoate

Leaves, Chinese-cabbage, effects of cytokinins on the phosphorylation of proteins in discs of and subcellular fractions from (Ralph, R. K., McCombs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911

Leaves, pelargonium, biosynthesis of geraniol and nerol and their β-D-glucosides from mevalonate in (Banthorpe, D. V., Le Patourel, G. N. J. & Francis, M. J. O.) 1045–1054

Leaves, tobacco, inhibition by kinetin of the phosphorylation of proteins in subcellular fractions from (Ralph, R. K., McCombs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911

Lecithin, *see* Phosphatidylcholine

Lettuce (*Lactuca sativa*), metabolism of fluoroacetate in (Ward, P. F. V. & Huskisson, N. S.) 575–587

Light chains, role of the pool of, in the assembly of immunoglobulin G by mouse plasma cytoma Adj PC5 (Stott, D. I.) 1151–1152

Light, role of, in the biosynthesis of nitrate reductase and nitrite reductase in rice seedlings (Sawhney, S. K. & Naik, M. S.) 475–485

Linoleate hydroperoxide, origin and structures of dimeric fatty acids from the anaerobic reaction of soya-bean lipoxygenase, linoleate and (Garssen, G. J., Vliegenthart, J. F. G. & Boldingh, J.) 435–442

cis- and *trans*-Linoleate, intestinal absorption of, and their subsequent uptake by the mammary gland and transfer into milk fat in the lactating goat (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 407–617

Linoleate, origin and structures of dimeric fatty acids from the anaerobic reaction of soya-bean lipoxygenase, linoleate hydroperoxide and (Garssen, G. J., Vliegenthart, J. F. G. & Boldingh, J.) 435–442

Lipases, activities of carnitine palmitoyltransferase and, in muscles from vertebrate and invertebrate animals (Crabtree, B. & Newsholme, E. A.) 697–705

Lipid-mobilizing factor, identification of, from sheep midbrain as isoprenaline (Shah, P. P., Tee, A. R., English, P. D., Redman, B. T. & Bunyan, J.) 467–473

Lipids, choline-containing, labelling of, in subcellular fractions of guinea-pig cerebral cortex after the administration of [*N*-*Me*-^{3}H]choline (Dowdall, M. J., Barker, L. A. & Whittaker, V. P.) 1081–1094

Lipids, tritium isotope effects in the measurement of the glycerol phosphate and dihydroxyacetone phosphate pathways for the biosynthesis of, in rat liver (Manning, R. & Brindley, D. N.) 1003–1012

Lipoamide dehydrogenase, mutants of *Escherichia coli* K12 deficient in (Guest, J. R. & Creaghan, I. T.) 8P

Lipolysis, effect of local anaesthetics on, in rat fat-cells (Siddle, K. & Hales, C. N.) 34P

Lipopolysaccharide, identification of ethanolamine triphosphate among the low-molecular-weight solutes released during mild acid hydrolysis of, from *Pseudomonas aeruginosa* N.C.T.C. 1999 (Drewry, D. T., Gray, G. W. & Wilkinson, S. G.) 289–295

Lipoprotein B, isolation and characterization of, from human serum high-density lipoproteins (Kostner, G.) 913–917

Lipoproteins, high-density, serum, human, isolation and characterization of lipoprotein B from (Kostner, G.) 913–917

Lipoxygenase, soya-bean, origin and structures of dimeric fatty acids from the anaerobic reaction of linoleate, linoleate hydroperoxide and (Garssen, G. J., Vliegenthart, J. F. G. & Boldingh, J.) 435–442

Liver, concentrations of aromatic acids derived from phenylalanine in the brain and, of rats with experimentally induced characteristics similar to those of phenylketonuria (Edwards, D. J. & Blau, K.) 495–503

Liver, mouse, distribution of surface antigens during fractionation of plasma membranes from (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 271–280

Liver, ox, formation of Compound I by the reaction of peroxoacetic acid with catalase from (Jones, P. & Middlemiss, D. N.) 411–415

Liver, pig, transfer of mannose from guanosine diphosphate mannose to dolichol phosphate and protein by microsomal preparations from (Richards, J. B. & Hemming, F. W.) 77–93

Liver, rabbit, regulation by phospholipids of the fructose 1,6-diphosphatase activity of, *in vitro* (Allen, M. B. & Blair, J. McD.) 1167–1169

Liver, rat, activities of hexokinase isoenzymes and glucokinase in isolated parenchymal cells from (Werner, H. V., Bartley, J. C. & Berry, M. N.) 1153–1155

Liver, rat, diurnal variations in the 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity of the microsomal fraction of, in relation to feeding (Gregory, K. W., Smith, C. Z. & Booth, R.) 1163–1165

Liver, rat, effect of aflatoxin B_1 on normal and cortisol-stimulated biosynthesis of ribonucleic acid in (Neal, G. E.) 619–629

Liver, rat, effects of cortisol on the biosynthesis of plasma albumin, fibrinogen and transferrin in, *in vivo* (Jeejeebhoy, K. N., Bruce-Robertson, A., Ho, J. & Sodtke, U.) 533–538

Liver, rat, evidence that the binding of polyribosomes from, to stripped rough endoplasmic reticulum *in vitro* is an unsuitable indicator of biological significance *in vivo* (Hochberg, A. A., Stratman, F. W., Zahlten, R. N., Morris, H. P. & Lardy, H. A.) 19–25

Liver, rat, formation of cholest-5-ene-3β,26-diol as an intermediate in the conversion of cholesterol into bile acids by mitochondria from (Mitropoulos, K. A., Avery, M. D., Myant, N. B. & Gibbons, G. F.) 363–371
Liver, rat, increase in the activities of mitochondrial catalase and glycerol phosphate dehydrogenase of, on the administration of clofibrate and clofenapate to the animals (Krishnakantha, T. P. & Kurup, C. K. R.) 167–175
Liver, rat, isolation of 2,3-oxidosqualene from, after treatment of the animals with 1-dodecylimidazole (Atkin, S. D., Morgan, B., Baggaley, K. H. & Green, J.) 153–157
Liver, rat, metabolic studies in experimental disease of, resulting from the administration of D-galactosamine (Record, C. O., Alberti, K. G. M. M. & Williamson, D. H.) 37–44
Liver, rat, metabolism of dibenz[*a*,*c*]anthracene 10,11-epoxide by preparations of (Sims, P.) 27–35
Liver, rat, partial purification and properties of mitochondrial polynucleotide phosphorylase from (See, Y. P. & Fitt, P. S.) 343–353
Liver, rat, proton translocation coupled to quinone reduction by reduced nicotinamide–adenine dinucleotide in mitochondria from (Lawford, H. G. & Garland, P. B.) 1029–1044
Liver, rat, studies on the secondary structure of nuclear ribonucleic acids from (Brentani, M., Kubota, M. & Brentani, R.) 11–17
Liver, rat, subcellular localization of polynucleotide phosphorylase in (See, Y. P. & Fitt, P. S.) 355–362
Liver, rat, tritium isotope effects in the measurement of the glycerol phosphate and dihydroxyacetone phosphate pathways for the biosynthesis of glycerolipids in (Manning, R. & Brindley, D. N.) 1003–1012
Locust (*Schistocerca gregaria*), regulation of glycolysis in perfused flight muscle from (Ford, W. C. L. & Candy, D. J.) 1101–1112
Lymphocytes, pig, role of zinc ions in the transformation of, by phytohaemagglutinin (Chesters, J. K.) 133–139
Lysine, biosynthesis of, in mammals (Wang, F. C. I. & Lewis, M. H. R.) 74P–75P
Lysophosphatidylcholine, plasma, uptake and metabolism of, by squirrel-monkey brain *in vivo* (Illingworth, D. R. & Portman, O. W.) 557–567
Lysophospholipids, endogenous, influence of reduced glutathione and ethylenediaminetetra-acetate on the acylation of, in isolated rat liver microsomal fraction (Gosselin, L.) 43P
Lysozyme, hen's-egg, reinvestigation of the amino acid sequence of (Rees, A. R. & Offord, R. E.) 965–968

Magnesium ion–adenosine triphosphate complex, activation of guinea-pig brain hexokinase by magnesium ions and (Purich, D. L. & Fromm, H. J.) 63–69
Magnesium ions, activation of guinea-pig brain hexokinase by magnesium ion–adenosine triphosphate complex and (Purich, D. L. & Fromm, H. J.) 63–69
Maize (*Zea mays*), sites of the biosynthesis and transport of extracellular polysaccharides in the root tissues of (Bowles, D. J. & Northcote, D. H.) 1133–1145
Malate dehydrog nase (decarboxylating), nicotinamide–adenine dinucleotide phosphate-linked, liver, rat, enzyme synthesis and adaptation of (Murphy, G. & Walker, D. G.) 76P–77P
'Malic' enzyme, *see* Malate dehydrogenase (decarboxylating), nicotinamide–adenine dinucleotide phosphate-linked
Mammary gland, rabbit, lactating, effect of hypophysectomy and subsequent replacement therapy with sheep prolactin or ox growth hormone on the lactose synthetase activity of (Jones, E. A. & Cowie, A. T.) 997–1002
Mammary gland, rat, biosynthesis of polyamines in, during pregnancy and lactation (Russell, D. H. & McVicker, T. A.) 71–76
Mammary gland, rat, concentrations of lactose and *N*-acetylneuraminyl-lactose in rat milk and (Kuhn, N. J.) 177–180
Mammary gland, uptake of fatty acids by, and their transfer into milk fat in the lactating goat (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 607–617
L-Mandelate, evidence suggesting that two distinct benzaldehyde dehydrogenases are associated with the metabolism of benzyl alcohol and, in bacterium N.C.I.B. 8250 (Livingstone, A., Fewson, C. A., Kennedy, S. I. T. & Zatman, L. J.) 927–935
L-Mandelate, regulation of the enzymes involved in the conversion of, into benzoate in bacterium N.C.I.B. 8250 (Livingstone, A. & Fewson, C. A.) 937–946
Mannose, transfer of, from guanosine diphosphate mannose to dolichol phosphate and protein by pig liver microsomal preparations (Richards, J. B. & Hemming, F. W.) 77–93
Membrane systems, intracellular, sites of the biosynthesis and transport of polysaccharides within, of maize root tissues (Bowles, D. J. & Northcote, D. H.) 1133–1145
Membranes, erythrocyte, human, effects of ethylenediaminetetra-acetate and deoxycholate on kinetic constants of the calcium ion-dependent adenosine triphosphatase of (Wolf, H. U.) 311–314
Membranes, fluidity of, and membrane fusion (Howell, J. I., Ahkong, Q. F., Cramp, F. C., Fisher, D., Tampion, W. & Lucy, J. A.) 44P
Membranes, mesosomal, peptidoglycan-lytic system associated with, from *Micrococcus lysodeikticus* (Ellar, D. J. & Posgate, J. A.) 41P
Membranes, plasma, *see* Plasma membranes
Membranes, surface, isolation and characterization of endoplasmic-reticulum fractions and, from normal and transformed mammalian cells in tissue culture (Graham, J. M.) 1113–1124
Mercury, analytical procedures used in the determination of, in the body (Magos, L.) 63P–64P
Mercury, biological alkylation of (Landner, L.) 67P–69P
Mercury, biological properties and distribution of (Clarkson, T. W.) 61P–63P
Mercury, clinical symptoms of poisoning with, in man (Bidstrup, P. L.) 59P–61P
Mercury in food (Tolan, A. & Elton, G. A. H.) 69P–70P
Mercury, pathological effects of (Butler, W. H.) 61P
Mercury, poisoning with (Colloquium) 59P–70P
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger

L-Methionine, regulation of C_1 metabolism by, in *Saccharomyces cerevisiae* A.T.C.C. 9763 (Lor, K. L. & Cossins, E. A.) 773–783

Methyl 2-[4-(*p*-chlorophenyl)phenoxy]-2-methylpropionate (clofenapate), increase in the activities of liver mitochondrial catalase and glycerol phosphate dehydrogenase on the administration of, to the rat (Krishnakantha, T. P. & Kurup, C. K. R.) 167–175

Methyl α-D-glucoside, inhibition by 5-thio-D-glucose of the transport of, by rabbit kidney-cortex slices (Whistler, R. L. & Lake, W. C.) 919–925

Methyl groups, regulation by L-methionine of the biogenesis of, within the folate pool in *Saccharomyces cerevisiae* A.T.C.C. 9763 (Lor, K. L. & Cossins, E. A.) 773–783

Methylation analysis, use of, for investigation of the structure of the carbohydrate moiety of human pituitary-gland follicle-stimulating hormone (Kennedy, J. F. & Chaplin, M. F.) 417–423

Mevalonate, biosynthesis of geraniol and nerol and their β-D-glucosides from, in pelargonium leaves and rose petals (Banthorpe, D. V., Le Patourel, G. N. J. & Francis, M. J. O.) 1045–1054

Mevalonate, biosynthesis of (+)-α-pinene from, in the foliage of three *Pinus* species (Banthorpe, D. V. & Le Patourel, G. N. J.) 1055–1061

Mevalonate, development of the activities of enzymes involved in the biosynthesis of isoprenoids from, during early stages of the germination of pea seeds (Green, T. R. & Baisted, D. J.) 983–995

Micrococcus lysodeikticus, formation of Compound I by the reaction of peroxoacetic acid with catalase from (Jones, P. & Middlemiss, D. N.) 411–415

Microsomal fraction, liver, mammalian, mechanisms and consequences of the induction of enzymes of (Parke, D. V.) 53P–55P

Microsomal fraction, liver, rat, diurnal variations in the 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity of, in relation to feeding (Gregory, K. W., Smith, C. Z. & Booth, R.) 1163–1165

Microsomal fractions, prostate-gland, stimulation of protein biosynthesis by, on the administration of testosterone to the rat (Mainwaring, W. I. P. & Wilce, P. A.) 189–197

Microsomal preparations, liver, pig, transfer of mannose from guanosine diphosphate mannose to dolichol phosphate and protein by (Richards, J. B. & Hemming, F. W.) 77–93

Microsomal preparations, liver, rat, metabolism of dibenz-[*a*,*c*]anthracene 10,11-epoxide by (Sims, P.) 27–35

Midbrain, sheep, identification of a lipid-mobilizing factor from, as isoprenaline (Shah, P. P., Tee, A. R., English, P. D., Redman, B. T. & Bunyan, J.) 467–473

Milk fat, quantitative aspects of the biohydrogenation, absorption and transfer of fatty acids into, in the lactating goat (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 607–617

Milk, rat, concentrations of lactose and *N*-acetylneuraminyl-lactose in rat mammary gland and (Kuhn, N. J.) 177–180

Mitochondria, development of the respiratory chain in, of *Saccharomyces carlsbergensis* N.C.Y.C. 74S during respiratory adaptation (Cartledge, T. G., Lloyd, D., Erecińska, M. & Chance, B.) 739–747

Mitochondria, distribution of polynucleotide phosphorylase of, among rat tissues and various animal species (See, Y. P. & Fitt, P. S.) 355–362

Mitochondria, heart, ox, proton translocation coupled to quinone reduction by reduced nicotinamide-adenine dinucleotide in (Lawford, H. G. & Garland, P. B.) 1029–1044

Mitochondria, liver, increase in the activities of catalase and glycerol phosphate dehydrogenase of, on the administration of clofibrate and clofenapate to the rat (Krishnakantha, T. P. & Kurup, C. K. R.) 167–175

Mitochondria, liver, rat, formation of cholest-5-ene-3β,26-diol as an intermediate in the conversion of cholesterol into bile acids by (Mitropoulos, K. A., Avery, M. D., Myant, N. B. & Gibbons, G. F.) 363–371

Mitochondria, liver, rat, partial purification and properties of polynucleotide phosphorylase from (See, Y. P. & Fitt, P. S.) 343–353

Mitochondria, liver, rat, proton translocation coupled to quinone reduction by reduced nicotinamide-adenine dinucleotides in (Lawford, H. G. & Garland, P. B.) 1029–1044

Molybdenum, spin–spin interaction between one of the iron–sulphur systems and, of xanthine oxidase and its relevance to the enzymic mechanism (Lowe, D. J., Lynden-Bell, R. M. & Bray, R. C.) 239–249

Monoglycerides, activities of enzymes utilizing triglycerides, diglycerides and, in muscles from vertebrate and invertebrate animals (Crabtree, B. & Newsholme, E. A.) 697–705

[Monoiodotyrosine]-insulin, preparation and properties of (Bihler, D. A. & Morris, J. W. S.) 321–324

Monoterpenes, biosynthesis of, and their β-D-glucosides from mevalonate in pelargonium leaves and rose leaves (Banthorpe, D. V., Le Patourel, G. N. J. & Francis, M. J. O.) 1045–1054

Monoterpenes, biosynthesis of, from mevalonate in the foliage of three *Pinus* species (Banthorpe, D. V. & Le Patourel, G. N. J.) 1055–1061

Muscle, diaphragm, rat, effects of 5-thio-D-glucose on the transport of D-xylose and D-arabinose by (Whistler, R. L. & Lake, W. C.) 919–925

Muscle, flight, insect, possible role of the pyruvate carboxylase activity present in (Crabtree, B., Higgins, S. J. & Newsholme, E. A.) 391–396

Muscle, flight, locust, perfused, regulation of glycolysis in (Ford, W. C. L. & Candy, D. J.) 1101–1112

Muscle, heart, pig, partial amino acid sequence of aspartate aminotransferase from (Doonan, S., Doonan, H. J., Riva, F., Vernon, C. A., Walker, J. M., Bossa, F., Barra, D., Carloni, M. & Fasella, P.) 443–452

Muscle, rabbit, mechanism for the reaction catalysed by 2,3-diphosphoglycerate-dependent phosphoglycerate mutase from (Britton, H. G. & Clarke, J. B.) 397–410

Muscles, activities of lipases and carnitine palmitoyltransferase in, from vertebrate and invertebrate animals (Crabtree, B. & Newsholme, E. A.) 697–705

Muscles, activities of pyruvate carboxylase, phosphoenolpyruvate carboxylase and fructose diphosphatase in, from various vertebrate and invertebrate animal species (Crabtree, B., Higgins, S. J. & Newsholme, E. A.) 391–396

Myricetin, metabolism of, and related compounds in the rat *in vivo* and by rat intestinal microflora *in vitro* (Griffiths, L. A. & Smith, G. E.) 141–151

Nerol, biosynthesis of, and its β-D-glucoside from mevalonate in pelargonium leaves and rose petals (Banthorpe, D. V., Le Patourel, G. N. J. & Francis, M. J. O.) 1045–1054

Neuraminidase, effect of treatment with, on the electrophoretic properties of chromaffin granules isolated from ox adrenal-gland medulla (Matthews, E. K., Evans, R. J. & Dean, P. M.) 825–832

Neuraminlactose, *see* *N*-Acetylneuraminyl-lactose

Neurotoxin (erabutoxin c), isolation, properties and amino acid sequence of, a minor component of the venom of the sea snake *Laticauda semifasciata* (Tamiya, N. & Abe, H.) 547–555

Newt (*Triturus cristatus carnifex*), differences in the molecular weights and other properties of ribosomal ribonucleic acids from *Xenopus laevis* and (Rogers, M. E. & Klein, G.) 281–288

Nicotiana tabacum, *see* Tobacco

Nicotinamide–adenine dinucleotide kinase, use of computer-produced contour plots in the fitting of rate equations for, to reaction-velocity measurements (Ottaway, J. H. & Apps, D. K.) 861–870

Nicotinamide–adenine dinucleotide, reduced, proton translocation coupled to quinone reduction by, in rat liver and ox heart mitochondria (Lawford, H. G. & Garland, P. B.) 1029–1044

Nicotine 1′-*N*-oxide, hepatic and extrahepatic reduction of, in the rat (Dajani, R. M., Gorrod, J. W. & Beckett, A. H.) 88P

Nitrate reductase, role of light in the biosynthesis of nitrite reductase and, in rice seedlings (Sawhney, S. K. & Naik, M. S.) 475–485

Nitrilotriacetate, metabolism of, by a micro-organism tentatively identified as a *Pseudomonas* sp. (Cripps, R. E. & Noble, A. S.) 31P–32P

Nitrite reductase, role of light in the biosynthesis of nitrate reductase and, in rice seedlings (Sawhney, S. K. & Naik, M. S.) 475–485

Nitrite, sodium, gaseous products of the interaction of, with pig skeletal muscle (Woolford, G., Casselden, R. J., Walters, C. L., Parke, D. V. & Gould, B. J.) 82P–83P

Nitrogenase, effects of Viologen dyes on the reduction of acetylene by, from *Klebsiella pneumoniae* M5a1 (Ware, D. A.) 301–302

Nitrogenase, electron-paramagnetic-resonance studies on the catalytic mechanism of, from *Klebsiella pneumoniae* (Smith, B. E., Lowe, D. J. & Bray, R. C.) 641–643

p-Nitrophenol, enzymic sulphation of steroids and, by larval gut tissues of the southern armyworm (Yang, R. S. H. & Wilkinson, C. F.) 487–493

Nocardia Z1, formation of 2,3-dihydroxypyridine as a metabolite of 3-hydroxypyridine by (Houghton, C. & Cain, R. B.) 879–893

Nuclear ribonucleic acids, *see* Ribonucleic acids, nuclear

Nucleic acids, dimensions and shapes of the furanose rings of nucleosides, nucleotides and (Arnott, S. & Hukins, D. W. L.) 453–465

Nucleic acids, uptake of precursors of, into normal and regenerating rat liver (Ord, M. G. & Stocken, L. A.) 9P

Nucleosides, dimensions and shapes of the furanose rings of nucleic acids, nucleotides and (Arnott, S. & Hukins, D. W. L.) 453–465

Nucleotides, dimensions and shapes of the furanose rings of nucleic acids, nucleosides and (Arnott, S. & Hukins, D. W. L.) 453–465

cis- and *trans*-Octadecenoate, intestinal absorption of, and their subsequent uptake by the mammary gland and transfer into milk fat in the lactating goat (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 607–617

Octanoate, β-hydroxylation of decanoate, dodecanoate and, by a cytosol preparation from maturing avocado mesocarp (Harwood, J. L., Sodja, A. & Stumpf, P. K.) 1013–1018

Oestradiol-17β, early effects of, on the acetylation of histones in rat uterus (Libby, P. R.) 663–669

Oestradiol-17β, early effects of, on the template capacity of the chromatin and activities of deoxyribonucleic acid-dependent ribonucleic acid polymerases I and II of rat uterus (Glasser, S. R., Chytil, F. & Spelsberg, T. C.) 947–957

Oestradiol, effect of thiols on the binding of, by components of human malignant breast tumours (Braunsberg, H., Killen, E. & Richardson, S. G.) 38P

Organohalogen compounds, structure–activity relationships for the induction and inhibition of liver microsomal enzymes in the rat by (Franklin, C. & el-Tayeb, I. B.) 90P–91P

Organomercury compounds, biotransformation of (Daniel, J. W.) 64P–65P

Organomercury compounds, permeability effects of (Selwyn, M. J.) 65P–67P

Organophosphorus compounds, effects of temperature and pH on the inactivation of horse and human cholinesterases by reaction with (Simeon, V., Reiner, E. & Vernon, C. A.) 515–524

Ornithine decarboxylase, changes in the activity of, in rat mammary gland during pregnancy and lactation (Russell, D. H. & McVicker, T. A.) 71–76

Ornithine decarboxylase, induction of, during the stimulation of lymphocytes by phytohaemagglutinin (Kay, J. E. & Lindsay, V. J.) 78P

Ornithine decarboxylase, induction of, in baby-hamster kidney cells (Melvin, W. T., Thomson, R. Y. & Hay, J.) 77P–78P

Ornithine decarboxylase, induction of, in cultured hepatoma cells (Hogan, B. & Blackledge, A.) 78P–79P

[^{14}C]Orotate, effect of aflatoxin B_1 on the normal and cortisol-stimulated incorporation of, into ribonucleic acid in rat liver (Neal, G. E.) 619–629

Oryza sativa, *see* Rice

Osmometry, micro methods of, based on the equilibrium swelling of gels (Ogston, A. G., Preston, B. N. & Wells, J. D.) 16P–17P

Oxalate, effect of, on the thermal inactivation and reactivation of pantothenate hydrolase of *Pseudomonas fluorescens* UK-1 *in vivo* (Airas, R. K.) 111–119

Oxaloacetate, oxidative cleavage of dihydrogossypetin to form 5-(3,4-dihydroxyphenyl)-4-hydroxy-3-oxovalero-δ-lactone and, by cell-free extracts from *Pseudomonas* sp. N.C.I.B. 9940 grown on (+)-catechin (Jeffrey, A. M., Jerina, D. M., Self, R. & Evans, W. C.) 383–390

2,3-Oxidosqualene, isolation of, from the liver of rats treated with 1-dodecylimidazole (Atkin, S. D., Morgan, B., Baggaley, K. H. & Green, J.) 153–157
2-Oxoglutarate dehydrogenase complex, regulation of, from *Acinetobacter* sp. (Parker, M. G. & Weitzman, P. D. J.) 39P
Oxygen, effect of the concentration of, on the autoxidation of retinol in aqueous colloidal dispersions (Fisher, D., Lichti, F. U. & Lucy, J. A.) 259–270
Oxygen, effects of the concentration of, on the growth and metabolism of *Saccharomyces cerevisiae* grown with an excess or a deficiency of potassium ions in the medium (Bartley, W. & Broomhead, V. M.) 251–258
Oxygen, factors affecting the uptake of, by a suspension of fragmented tubules from rat kidney (Dawson, A. G.) 525–532
Oxygen, singlet, in the photo-oxidation of bilirubin in hydroxylic solvents (Bonnet, R. & Stewaat, J. C. M.) 895–897

Pantothenate hydrolase, thermal inactivation and reactivation of, of *Pseudomonas fluorescens* UK-1 *in vivo* (Airas, R. K.) 111–119
Pea (*Pisum sativum*) seeds, development of the activities of enzymes involved in the pathway for the biosynthesis of isoprenoids from mevalonate during early stages of the germination of (Green, T. R. & Baisted, D. J.) 983–995
Pelargonium (*Pelargonium graveolens*) leaves, biosynthesis of geraniol and nerol and their β-D-glucosides from mevalonate in (Banthorpe, D. V., Le Patourel, G. N. J. & Francis, M. J. O.) 1045–1054
Penicillinase, R-factor-mediated, purified, preparation of gram quantities of, from *Escherichia coli* W3310 (Melling, J. & Scott, G. K.) 55–62
Pentasaccharide, structure of, corresponding to the dephosphorylated repeating unit of the type-specific substance from *Pneumococcus* type 13 (Watson, M. J., Tyler, J. M., Buchanan, J. G. & Baddiley, J.) 45–54
Peroxoacetic acid, formation of Compound I by the reaction of bacterial and ox liver catalases with (Jones, P. & Middlemiss, D. N.) 411–415
Persea americana, *see* Avocado
Petals, rose, biosynthesis of geraniol and nerol and their β-D-glucosides from mevalonate in (Banthorpe, D. V., Le Patourel, G. N. J. & Francis, M. J. O.) 1045–1054
pH, effects of temperature and, on the inactivation of horse and human cholinesterases by carbamoylation and phosphorylation (Simeon, V., Reiner, E. & Vernon, C. A.) 515–524
Phage, *see* Bacteriophage
Phenylacetate, concentrations of phenyl-lactate, *o*-hydroxyphenylacetate and, in the brain and liver of rats with experimentally induced characteristics similar to those of phenylketonuria (Edwards, D. J. & Blau, K.) 495–503
Phenylalanine, concentrations of aromatic acids derived from, in the brain and liver of rats with experimentally induced characteristics similar to those of phenylketonuria (Edwards, D. J. & Blau, K.) 495–503
1-Phenylalkanes, catabolism of, by *Nocardia salmonicolor* N.C.I.B. 9701 (Sari-Aslani, F. S., Harper, D. B. & Higgins. I. J.) 19P
Phenylglyoxylate, role of, as primary inducer of the enzymes involved in the conversion of L-mandelate into benzoate in bacterium N.C.I.B. 8250 (Livingstone, A. & Fewson, C. A.) 937–946
Phenylketonuria, concentrations of aromatic acids derived from phenylalanine in the brain and liver of rats with experimentally induced characteristics similar to those of (Edwards, D. J. & Blau, K.) 495–503
Phenyl-lactate, concentrations of phenylacetate, *o*-hydroxyphenylacetate and, in the brain and liver of rats with experimentally induced characteristics similar to those of phenylketonuria (Edwards, D. J. & Blau, K.) 495–503
Phosphatase, alkaline, comparison of the distributions of D-*myo*inositol 1:2-cyclic phosphate 2-phosphatase and, along the brush border of the proximal tubules of rat kidney (Clarke, N. & Dawson, R. M. C.) 229–238
Phosphatidate, regulation by, of the fructose 1,6-diphosphatase activity of rabbit liver *in vitro* (Allen, M. B. & Blair, J. McD.) 1167–1169
Phosphatidylcholine, formation of, from plasma lysophosphatidylcholine by squirrel-monkey brain *in vivo* (Illingworth, D. R. & Portman, O. W.) 557–567
Phosphoenolpyruvate carboxylase, activities of fructose diphosphatase, pyruvate carboxylase and, in muscles from various vertebrate and invertebrate animal species (Crabtree, B., Higgins, S. J. & Newsholme, E. A.) 391–396
Phosphoglucomutase, phosphoenzyme formation involving serine residues with, from *Micrococcus lysodeikticus* (Birch, M., Britton, H. G. & Clarke, J. B.) 7P–8P
Phosphoglycerate mutase, 2,3-diphosphoglycerate-dependent, muscle, rabbit, mechanism for the reaction catalysed by (Britton, H. G. & Clarke, J. B.) 397–410
Phospholipid, sphingo-, isolation and characterization of, containing 3-aminopropane-1,2-diol from the bacterial fraction of sheep rumen contents (Kemp, P., Dawson, R. M. C. & Klein, R. A.) 221–227
Phospholipids, choline-containing, labelling of, in subcellular fractions of guinea-pig cerebral cortex after the administration of [*N*-*Me*-^{3}H]choline (Dowdall, M. J., Barker, L. A. & Whittaker, V. P.) 1081–1094
Phospholipids, regulation by, of the fructose 1,6-diphosphatase activity of rabbit liver *in vitro* (Allen, M. B. & Blair, J. McD.) 1167–1169
Phospholipids, tritium isotope effects in the measurement of the glycerol phosphate and dihydroxyacetone phosphate pathways for the biosynthesis of, in rat liver (Manning, R. & Brindley, D. N.) 1003–1012
Phosphorylase kinase, skeletal-muscle, rabbit, activation and phosphorylation of the subunits of (Cohen, P.) 5P–6P
Phosphorylation, effects of temperature and pH on the inactivation of horse and human cholinesterases by (Simeon, V., Reiner, E. & Vernon, C. A.) 515–524
Phosphorylcholine, labelling of, in subcellular fractions of guinea-pig cerebral cortex after the administration of [*N*-*Me*-^{3}H]choline (Dowdall, M. J., Barker, L. A. & Whittaker, V. P.) 1081–1094
Photosynthesis, metabolic regulation in the C_4 dicarboxylic acid pathway of, in *Pennisetum purpureum* (Coombs, J., Baldry, C. W. & Bucke, C.) 25P

Photosynthesis, relationship between the Hill reaction of, and the biosynthesis of nitrate reductase and nitrite reductase in rice seedlings (Sawhney, S. K. & Naik, M. S.) 475–485
Phytohaemagglutinin, role of zinc ions in the transformation of pig lymphocytes by (Chesters, J. K.) 133–139
(+)-α-Pinene, biosynthesis of, from mevalonate in the foliage of three *Pinus* species (Banthorpe, D. V. & Le Patourel, G. N. J.) 1055–1061
Pinus spp., biosynthesis of (+)-α-pinene from mevalonate in the foliage of (Banthorpe, D. V. & Le Patourel, G. N. J.) 1055–1061
Piperonylate, metabolism of, by *Pseudomonas fluorescens* PM3 (Buswell, J. A.) 32P–33P
Pisum sativum, *see* Pea
Pituitary gland, anterior, human, use of methylation analysis for investigation of the structure of the carbohydrate moiety of follicle-stimulating hormone from (Kennedy, J. F. & Chaplin, M. F.) 417–423
Plasma albumin, *see* Albumin, plasma
Plasma, human, comparison of the binding of prostaglandins A_2, $F_{2\alpha}$ and E_2 to proteins of (Raz, A.) 631–636
Plasma membranes, liver, mouse, distribution of surface antigens during fractionation of (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 271–280
Plasma, pig, catalytic mechanism for benzylamine oxidase from (Taylor, C. E., Taylor, R. S., Rasmussen, C. & Knowles, P. F.) 713–728
Plasma, uptake and metabolism of lysophosphatidylcholine from, by the brain of the squirrel monkey *in vivo* (Illingworth, D. R. & Portman, O. W.) 557–567
Plasmacytoma Adj PC5, mouse, role of the light-chain pool in the assembly of immunoglobulin G by (Stott, D. I.) 1151–1152
Platelets, human, effect of an inhibitor of the thrombin–fibrinogen reaction on the thrombin-induced aggregation of (Flengsrud, R., Eika, C. & Prydz, H.) 899–900
Pneumococcus type 13, partial structure of the type-specific substance from (Watson, M. J., Tyler, J. M., Buchanan, J. G. & Baddiley, J.) 45–54
Polyamines, biosynthesis of, in rat mammary gland during pregnancy and lactation (Russell, D. H. & McVicker, T. A.) 71–76
Polynucleotide phosphorylase, partial purification and properties of, from rat liver mitochondria (See, Y. P. & Fitt, P. S.) 343–353
Polynucleotide phosphorylase, subcellular localization of, in rat liver and its distribution among rat tissues and various animal species (See, Y. P. & Fitt, P. S.) 355–362
Polyoma virus, comparison of the characteristics of surface-membrane and endoplasmic-reticulum fractions isolated from normal cultured baby-hamster kidney cells and from those transformed by infection with (Graham, J. M.) 1113–1124
Polyribosomes, liver and hepatoma, rat, evidence that the binding of, to stripped rough endoplasmic reticulum *in vitro* is an unsuitable indicator of biological significance *in vivo* (Hochberg, A. A., Stratman, F. W., Zahlten, R. N., Morris, H. P. & Lardy, H. A.) 19–25
Polyribosomes, reticulocyte, rabbit, protein biosynthesis in the presence of non-ionic detergents by a cell-free system containing (Olsnes, S., Spaeren, U., Heiberg, R. & Pihl, A.) 297–299
Polysaccharide, sulphated, presence of, in the cell envelopes of *Halobacterium halobium* (Koncewicz, M.) 40P–41P
Polysaccharides, extracellular, sites of the biosynthesis and transport of, in maize root tissues (Bowles, D. J. & Northcote, D. H.) 1133–1145
Polysomes, *see* Polyribosomes
Potassium chloride, effects of the concentration of, on the properties of nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase from *Halobacterium salinarium* (Aitken, D. M. & Brown, A. D.) 645–662
Potassium ions, effects of oxygen concentration on the growth and metabolism of *Saccharomyces cerevisiae* grown with an excess or a deficiency of, in the medium (Bartley, W. & Broomhead, V. M.) 251–258
Pregnancy, biosynthesis of polyamines in rat mammary gland during, and lactation (Russell, D. H. & McVicker, T. A.) 71–76
Prodenia eridania, *see* Southern armyworm
Prolactin, sheep, effect of hypophysectomy and subsequent replacement therapy with, on the lactose synthetase activity of lactating rabbit mammary gland (Jones, E. A. & Cowie, A. T.) 997–1002
Propanediols, activities of fluoropropanediols and, as substrates and inhibitors of glycerol kinase from *Candida mycoderma* (Eisenthal, R., Harrison, R., Lloyd, W. J. & Taylor, N. F.) 199–205
Prostaglandins A_2, $F_{2\alpha}$ and E_2, comparison of the binding of, to human plasma proteins (Raz, A.) 631–636
Prostate gland, stimulation of protein biosynthesis by microsomal fractions from, on the administration of testosterone to the rat (Mainwaring, W. I. P. & Wilce, P. A.) 189–197
Protease, *see* Proteinase
Protein, alkali-soluble, properties and time of biosynthesis of, of the spore coat of *Bacillus subtilis* 168 (Marburg strain) (Wood, D. A.) 505–514
Protein, biosynthesis of, in the presence of non-ionic detergents by a cell-free system from rabbit reticulocytes (Olsnes, S., Spaeren, U., Heiberg, R. & Pihl, A.) 297–299
Protein, effects of α-amanitin on the biosynthesis of nucleic acids and, in chick-embryo fibroblast cells (Hastie, N. D., Armstrong, S. J. & Mahy, B. W. J.) 28P–29P
Protein kinases, effects of cytokinins on the activities of, in Chinese-cabbage leaf discs and in subcellular fractions from Chinese-cabbage leaves, tobacco leaves and carrot tissue (Ralph, R. K., McCombs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911
Protein SCMK-B2A, amino acid sequence of, from the high-sulphur fraction of wool keratin (Elleman, T. C.) 833–845
Protein, stimulation of the biosynthesis of, by prostate-gland microsomal fractions on the administration of testosterone to the rat (Mainwaring, W. I. P. & Wilce, P. A.) 189–197
Protein, transfer of mannose from guanosine diphosphate mannose to dolichol phosphate and, by pig liver microsomal preparations (Richards, J. B. & Hemming, F. W.) 77–93

Protein, zinc-containing, isolation of, from the cat tapetum lucidum (Croft, L. R.) 303–305
Proteinase A, proposed structure for, from *Streptomyces griseus* (Johnson, P. & Smillie, L. B.) 36P–37P
Protein–polysaccharide, cartilage, excretion and degradation of chondroitin 4-sulphate administered to guinea pigs as free chondroitin sulphate and as (Revell, P. A. & Muir, H.) 597–606
Protein–polysaccharide, mode of degradation of, containing chondroitin sulphate in rat costal cartilage (Wasteson, Å., Lindahl, U. & Hallén, A.) 729–738
Protein–polysaccharides, sequential extraction and analysis of, from the knee-joint cartilage of young normal and lame pigs (Šimůnek, Z. & Muir, H.) 181–187
Proteins, competitive labelling method for the determination of the ionization constants and reactivities of individual histidine residues in (Cruickshank, W. H. & Kaplan, H.) 1125–1131
Proteins, effects of cytokinins on the phosphorylation of, in Chinese-cabbage leaf discs and in subcellular fractions from Chinese-cabbage leaves, tobacco leaves and carrot tissue (Ralph, R. K., McCombs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911
Proteins, evaluation of 1-fluoro-2-nitro-4-trimethylammoniobenzene iodide as a solubilizing reagent for (Sutton, D. A., Drewes, S. E. & Welz, U.) 589–595
Proteins, helical, quaternary structure of, with globular subunits (Milner-White, E. J. & Spain, P. G.) 17P
Proteins, non-histone, effects of oestradiol-17β on the concentrations of histones and, of the chromatin of rat uterus (Glasser, S. R., Chytil, F. & Spelsberg, T. C.) 947–957
Proteins, plasma, human, comparison of the binding of prostaglandins A_2, $F_{2\alpha}$ and E_2 to (Raz, A.) 631–636
Proteins, ribosomal, properties of, of ribosomes from *Halobacterium cutirubrum* (Visentin, L. P., Chow, C., Matheson, A. T., Yaguchi, M. & Rollin, F.) 103–110
Proteoglycans, *see* Protein–polysaccharides
Protons, translocation of, coupled to quinone reduction by reduced nicotinamide–adenine dinucleotide in rat liver and ox heart mitochondria (Lawford, H. G. & Garland, P. B.) 1029–1044
Pseudomonas aeruginosa A.T.C.C. 15692, properties of the D- and L-lactate dehydrogenases of (Kemp, M. B.) 307–309
Pseudomonas aeruginosa N.C.T.C. 1999, identification of ethanolamine triphosphate among the low-molecular-weight solutes released during mild acid hydrolysis of the lipopolysaccharide from (Drewry, D. T., Gray, G. W. & Wilkinson, S. G) 289–295
Pseudomonas fluorescens UK-1, thermal inactivation and reactivation of pantothenate hydrolase of, *in vivo* (Airas, R. K.) 111–119
Pseudomonas putida F2, purification and properties of 2-furoyl-coenzyme A hydroxylase from (Kitcher, J. P., Trudgill, P. W. & Rees, J. S.) 121–132
Pseudomonas sp. N.C.I.B. 9940, hydroxylation of taxifolin to form dihydrogossypetin by cell-free extracts from, grown on (+)-catechin (Jeffrey, A. M., Knight, M. & Evans, W. C.) 373–381
Pseudomonas sp. N.C.I.B. 9940, oxidative cleavage of dihydrogossypetin to form oxaloacetate and 5-(3,4-dihydroxyphenyl)-4-hydroxy-3-oxovalero-δ-lactone by cell-free extracts from, grown on (+)-catechin (Jeffrey, A. M., Jerina, D. M., Self, R. & Evans, W. C.) 383–390
Pyridine, formation of dihydroxypyridines as metabolites of, and hydroxypyridines by various micro-organisms (Houghton, C. & Cain, R. B.) 879–893
Pyridinediols, *see* Dihydroxypyridines
Pyruvate carboxylase, activities of fructose diphosphatase, phosphopyruvate carboxylase and, in muscles from various vertebrate and invertebrate animal species (Crabtree, B., Higgins, S. J. & Newsholme, E. A.) 391–396
Pyruvate kinase, effects of oxygen concentration on the activity of, in *Saccharomyces cerevisiae* grown with an excess or a deficiency of potassium ions in the medium (Bartley, W. & Broomhead, V. M.) 251–258

Quinones, proton translocation coupled to the reduction of, by reduced nicotinamide–adenine dinucleotide in rat liver and ox heart mitochondria (Lawford, H. G. & Garland, P. B.) 1029–1044

Radioimmunoassays, statistical analysis of data from (Healy, M. J. R.) 207–210
Rana pipiens, *see* Frog
Rattlesnake (*Crotalus durissus terrificus*), biosynthesis of ribonucleic acid in the venom gland of, after manual extraction of the venom (De Lucca, F. L. & Imaizumi, M. T.) 335–342
Red blood cells, *see* Erythrocytes
Resistance factor, preparation from *Escherichia coli* W3310 of gram quantities of a penicillinase mediated by (Melling, J. & Scott, G. K.) 55–62
Respiration, factors affecting, by a suspension of fragmented tubules from rat kidney (Dawson, A. G.) 525–532
Respiratory chain, development of, in *Saccharomyces carlsbergensis* N.C.Y.C. 74S during respiratory adaptation (Cartledge, T. G., Lloyd, D., Erecińska, M. & Chance, B.) 739–747
Reticulocytes, rabbit, protein biosynthesis in the presence of non-ionic detergents by a cell-free system from (Olsnes, S., Spaeren, U., Heiberg, R. & Pihl, A.) 297–299
Reticulum, endoplasmic, isolation and characterization of surface-membrane fractions and, from normal and transformed mammalian cells in tissue culture (Graham, J. M.) 1113–1124
Reticulum, endoplasmic, liver, pig, transfer of mannose from guanosine diphosphate mannose to dolichol phosphate and protein by (Richards, J. B. & Hemming, F. W.) 77–93
Reticulum, endoplasmic, prostate-gland, stimulation of protein biosynthesis by, on the administration of testosterone to the rat (Mainwaring, W. I. P. & Wilce, P. A.) 189–197
Reticulum, endoplasmic, rough, stripped, evidence that the binding of rat liver and hepatoma polyribosomes to, *in vitro* is an unsuitable indicator of biological significance *in vivo* (Hochberg, A. A., Stratman, F. W., Zahlten, R. N., Morris, H. P. & Lardy, H. A.) 19–25
Retina, cat, isolation of a zinc-containing protein from the tapetum lucidum situated behind (Croft, L. R.) 303–305
Retinol, environmental effects on the autoxidation of, in aqueous colloidal dispersions (Fisher, D., Lichti, F. U. & Lucy, J. A.) 259–270

Ribitol, stimulation by, of flavinogenesis in *Eremothecium ashbyii* (Mehta, S. U., Mattoo, A. K. & Modi, V. V.) 159–166

Riboflavin, stimulation by ribitol of the biosynthesis of, in *Eremothecium ashbyii* (Mehta, S. U., Mattoo, A. K. & Modi, V. V.) 159–166

Ribonucleic acid, biosynthesis of, in the venom gland of the rattlesnake *Crotalus durissus terrificus* after manual extraction of the venom (De Lucca, F. L. & Imaizumi, M. T.) 335–342

Ribonucleic acid, changes in the concentration of, in rat mammary gland during pregnancy and lactation (Russell, D. H. & McVicker, T. A.) 71–76

Ribonucleic acid, effect of aflatoxin B_1 on normal and cortisol-stimulated biosynthesis of, in rat liver (Neal, G. E.) 619–629

Ribonucleic acid, effect of aflatoxin B_1 on the biosynthesis of, in control and cortisol-stimulated rat liver (Neal, G. E.) 79P–80P

Ribonucleic acid, high-molecular-weight, biosynthesis of a discrete species of, by isolated spinach chloroplasts (Hartley, M. R. & Ellis, R. J.) 27P–28P

Ribonucleic acid, messenger, biosynthesis of, in the venom gland of the rattlesnake *Crotalus durissus terrificus* after manual extraction of the venom (De Lucca, F. L. & Imaizumi, M. T.) 335–342

Ribonucleic acid polymerase, effect of aflatoxin B_1 on normal and cortisol-stimulated activity of, in rat liver (Neal, G. E.) 619–629

Ribonucleic acid polymerases I and II, deoxyribonucleic acid-dependent, early effects of oestradiol-17β on the activities of, of rat uterus (Glasser, S. R., Chytil, F. & Spelsberg, T. C.) 947–957

Ribonucleic acid polymerases, deoxyribonucleic acid-dependent, transcription of ox cerebral-cortex chromatin by, from ox cerebral-cortex nuclei and *Escherichia coli* (Singh, V. K. & Sung, S. C.) 1095–1099

Ribonucleic acid, ribosomal, biosynthesis of, in the venom gland of the rattlesnake *Crotalus durissus terrificus* after manual extraction of the venom (De Lucca, F. L. & Imaizumi, M. T.) 335–342

Ribonucleic acid, ribosomal, properties of the ribosomal proteins and, of ribosomes from *Halobacterium cutirubrum* (Visentin, L. P., Chow, C., Matheson, A. T., Yaguchi, M. & Rollin, F.) 103–110

Ribonucleic acid, transfer, quantitative limit for the incorporation of cytokinins into, by soya-bean callus tissue (Elliott, D. C. & Murray, A. W.) 1157–1160

Ribonucleic acids, nuclear, studies on the secondary structure of, from rat liver (Brentani, M., Kubota, M. & Brentani, R.) 11–17

Ribonucleic acids, ribosomal, differences in the molecular weights and other properties of, from Anuran and Urodele species of amphibians (Rogers, M. E. & Klein, G.) 281–288

Ribose, dimensions and shapes of the furanose rings of deoxyribose and, in nucleosides, nucleotides and nucleic acids (Arnott, S. & Hukins, D. W. L.) 453–465

Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal

Ribosomes, chloroplast, pea, function of (Ellis, R. J. & Forrester, E. E.) 28P

Ribosomes, evidence for a repression–de-repression system directed by, for the regulation of carbon dioxide fixation by *Euglena gracilis* var. *bacillaris* (Wolfovitch, R. & Perl, M.) 819–823

Ribosomes, evidence for a repression–de-repression system directed by, for the regulation of the biosynthesis of chlorophyll in *Euglena gracilis* var. *bacillaris* (Perl, M.) 813–818

Ribosomes, properties of the ribosomal proteins and ribonucleic acid of, from *Halobacterium cutirubrum* (Visentin, L. P., Chow, C., Matheson, A. T., Yaguchi, M. & Rollin, F.) 103–110

Ribosomes, structure of, as indicated by studies on tetramers from hypothermic chick embryos (Carey, N. H., Hobbs, J. R. W. & Cook, E. A.) 871–877

Rice (*Oryza sativa*) seedlings, role of light in the biosynthesis of nitrate reductase and nitrite reductase in (Sawhney, S. K. & Naik, M. S.) 475–485

Root tissues, maize, sites of the biosynthesis and transport of extracellular polysaccharides in (Bowles, D. J. & Northcote, D. H.) 1133–1145

Rosa dilecta, see Rose

Rose (*Rosa dilecta*) petals, biosynthesis of geraniol and nerol and their β-D-glucosides from mevalonate in (Banthorpe, D. V., Le Patourel, G. N. J. & Francis, M. J. O.) 1045–1054

Rumen, biohydrogenation of fatty acids in, and their subsequent absorption and transfer into milk fat in the lactating goat (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 607–617

Rumen, sheep, isolation and characterization of a sphingophospholipid containing 3-aminopropane-1,2-diol from bacteria obtained from (Kemp, P., Dawson, R. M. C. & Klein, R. A.) 221–227

Saccharomyces carlsbergensis N.C.Y.C. 74S, development of the respiratory chain in, during respiratory adaptation (Cartledge, T. G., Lloyd, D., Erecińska, M. & Chance, B.) 739–747

Saccharomyces cerevisiae A.T.C.C. 9763, regulation of C_1 metabolism by L-methionine in (Lor, K. L. & Cossins, E. A.) 773–783

Saccharomyces cerevisiae, effects of oxygen concentration on the growth and metabolism of, grown with an excess or a deficiency of potassium ions in the medium (Bartley, W. & Broomhead, V. M.) 251–258

Safrole, biochemical and pathological differences in the hepatic response to chronic feeding of butylated hydroxytoluene and, to rats (Gray, T. J. B., Parke, D. V., Grasso, P. & Crampton, R. F.) 91P–92P

Saimiri sciureus, *see* Squirrel monkey

Samarium ions, proposed structure for the chelates of, with bilirubin (Kuenzle, C. C., Pelloni, R. R., Weibel, M. H. & Hemmerich, P.) 1147–1150

Schistocerca gregaria, *see* Locust

Sea snake (*Laticauda semifasciata*), isolation, properties and amino acid sequence of erabutoxin c, a minor neurotoxic component of the venom of (Tamiya, N. & Abe, H.) 547–555

Seedlings, rice, role of light in the biosynthesis of nitrate reductase and nitrite reductase in (Sawhney, S. K. & Naik, M. S.) 475–485

Seeds, pea, development of the activities of enzymes involved in the pathway for the biosynthesis of isoprenoids from mevalonate during early stages of the germination of (Green, T. R. & Baisted, D. J.) 983–995
L-Serine dehydratase, regulation of, in rat liver during development (Snell, K. & Walker, D. G.) 75P–76P
Serum albumin, *see* Albumin, serum
Serum, horse and human, effects of temperature and pH on the inactivation of cholinesterases from, by carbamoylation and phosphorylation (Simeon, V., Reiner, E. & Vernon, C. A.) 515–524
Serum, human and rabbit, isolation and characterization of subcomponent C1q of complement from (Reid, K. B. M., Lowe, D. M. & Porter, R. R.) 749–763
Serum, human, isolation and characterization of lipoprotein B from the high-density lipoproteins of (Kostner, G.) 913–917
Serum, rat, microheterogeneity of acute-phase α_1-globulins from, after isoelectric focusing (Gordon, A. H. & Dykes, P. J.) 95–101
Sialic acid, differences in the content of, and microheterogeneity of rat serum acute-phase α_1-globulins after isoelectric focusing (Gordon, A. H. & Dykes, P. J.) 95–101
Small intestine, *see* Intestine, small
Sodium chloride, effects of the concentration of, on the properties of nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase from *Halobacterium salinarium* (Aitken, D. M. & Brown, A. D.) 645–662
Somatotrophin, *see* Growth hormone
Southern armyworm (*Prodenia eridania*), enzymic sulphation of *p*-nitrophenol and steroids by larval gut tissues of (Yang, R. S. H. & Wilkinson, C. F.) 487–493
Soya bean, origin and structures of dimeric fatty acids from the anaerobic reaction of linoleate, linoleate hydroperoxide and lipoxygenase from (Garssen, G. J., Vliegenthart, J. F. G. & Boldingh, J.) 435–442
Soya-bean (*Glycine max*) callus tissue, quantitative limit for the incorporation of cytokinins into transfer ribonucleic acid by (Elliott, D. C. & Murray, A. W.) 1157–1160
Spermidine, biosynthesis of, and other polyamines in rat mammary gland during pregnancy and lactation (Russell, D. H. & McVicker, T. A.) 71–76
Sphingophospholipid, isolation and characterization of, containing 3-aminopropane-1,2-diol, from the bacterial fraction of sheep rumen contents (Kemp, P., Dawson, R. M. C. & Klein, R. A.) 221–227
Spore coat, properties and time of biosynthesis of alkali-soluble protein of, of *Bacillus subtilis* 168 (Marburg strain) (Wood, D. A.) 505–514
Sporulation, time of biosynthesis of alkali-soluble protein of the spore coat during, of *Bacillus subtilis* 168 (Marburg strain) (Wood, D. A.) 505–514
Squalene, development of the activities of enzymes involved in the biosynthesis of, from mevalonate during early stages of the germination of pea seeds (Green, T. R. & Baisted, D. J.) 983–995
Squirrel monkey (*Saimiri sciureus*), uptake and metabolism of plasma lysophosphatidylcholine by the brain of, *in vivo* (Illingworth, D. R. & Portman, O. W.) 557–567
Staphylococcus lactis 2102, characterization of a polymer of *N*-acetylglucosamine 1-phosphate from the cell wall of (Archibald, A. R. & Stafford, G. H.) 681–690
Stearate, desaturation of, during the intestinal absorption of, in the lactating goat (Bickerstaffe, R., Noakes, D. E. & Annison, E. F.) 607–617
Steroids, enzymic sulphation of *p*-nitrophenol and, by larval gut tissues of the southern armyworm (Yang, R. S. H. & Wilkinson, C. F.) 487–493
Streptomyces nigrifaciens, purification and properties of the hydroxylating enzyme catalysing the conversion of *p*-coumarate into caffeate from (Nambudiri, A. M. D., Bhat, J. V. & Subba Rao, P. V.) 425–433
Succinate, effect of, on the thermal inactivation and reactivation of pantothenate hydrolase of *Pseudomonas fluorescens* UK-1 *in vivo* (Airas, R. K.) 111–119
Sugar residues, use of methylation analysis for investigation of the linkages of, of the carbohydrate moiety of human pituitary-gland follicle-stimulating hormone (Kennedy, J. F. & Chaplin, M. F.) 417–423
Sulphate, enzymic conjugation of *p*-nitrophenol and steroids with, by larval gut tissues of the southern armyworm (Yang, R. S. H. & Wilkinson, C. F.) 487–493
Supernatant fraction, *see* Cytosol
Synaptic-vesicle fraction, labelling of stable bound acetylcholine in, of guinea-pig cerebral cortex after the administration of [*N*-*Me*-^{3}H]choline (Barker, L. A., Dowdall, L. A. & Whittaker, V. P.) 1063–1080
Synaptosomal fraction, labelling of phosphorylcholine and choline-containing phospholipids in, and other subcellular fractions of guinea-pig cerebral cortex after the administration of [*N*-*Me*-^{3}H]choline (Dowdall, M. J., Barker, L. A. & Whittaker, V. P.) 1081–1094
Synaptosomal fraction, turnover of acetylcholine in the synaptic-vesicle fraction and, of guinea-pig cerebral cortex (Barker, L. A., Dowdall, M. J. & Whittaker, V. P.) 1063–1080
Synaptosomes, mathematical model of the metabolic compartments of acetylcholine in (Gradijan, J. R. & Bergner, P.-E. E.) 1075–1080

Tapetum lucidum, cat, isolation of a zinc-containing protein from (Croft, L. R.) 303–305
Taxifolin, hydroxylation of, to form dihydrogossypetin by cell-free extracts from *Pseudomonas* sp. N.C.I.B. 9940 grown on (+)-catechin (Jeffrey, A. M., Knight, M. & Evans, W. C.) 373–381
Temperature, effects of pH and, on the inactivation of horse and human cholinesterases by carbamoylation and phosphorylation (Simeon, V., Reiner, E. & Vernon, C. A.) 515–524
Testosterone, stimulation of protein biosynthesis by prostate-gland microsomal fractions on the administration of, to the rat (Mainwaring, W. I. P. & Wilce, P. A.) 189–197
5-Thio-D-glucose, inhibition by, of transport processes in rabbit and rat kidney-cortex slices and in rat diaphragm muscle (Whistler, R. L. & Lake, W. C.) 919–925
Thiol groups, non-involvement of, in the binding of rat liver and hepatoma polyribosomes to stripped rough endoplasmic reticulum *in vitro* (Hochberg, A. A., Stratman, F. W., Zahlten, R. N., Morris, H. P. & Lardy, H. A.) 19–25

Thrombin, effect of an inhibitor of the thrombin–fibrinogen reaction on the aggregation of human platelets induced by (Flengsrud, R., Eika, C. & Prydz, H.) 899–900
[^{3}H]Thymidine triphosphate, incorporation of, first into low-molecular-weight pieces of deoxyribonucleic acid and then into high-molecular-weight deoxyribonucleic acid by permealysed Ehrlich ascites cells *in vitro* (Burgoyne, L. A.) 959–964
Thyrotrophin, statistical analysis of data from the radioimmunoassay of (Healy, M. J. R.) 207–210
Toad, clawed, South African (*Xenopus laevis*), differences in the molecular weight and other properties of ribosomal ribonucleic acids from the newt *Triturus cristatus carnifex* and (Rogers, M. E. & Klein, G.) 281–288
Tobacco (*Nicotiana tabacum*) leaves, inhibition by kinetin of the phosphorylation of proteins in subcellular fractions from (Ralph, R. K., McCombs, P. J. A., Tener, G. & Wojcik, S. J.) 901–911
Transcription, effect of tri-iodothyronine on, of deoxyribonucleic acids of different degrees of redundancy in frog (*Rana pipiens*) tadpoles (Flickinger, R. A. & Roche, F. M.) 319–320
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Transferrin, effects of cortisol on the biosynthesis of plasma albumin, fibrinogen and, in rat liver *in vivo* (Jeejeebhoy, K. N., Bruce-Robertson, A., Ho, J. & Sodtke, U.) 533–538
Triacylglycerols, differences in, from acoustic tissues and posterior cranial blubber of the narwhal (*Monodon monoceros*) (Robisch, P. A., Malins, D. C., Best, R. & Varanasi, U.) 33P–34P
Trichlorofluoromethane, study of the possible metabolism of, in various animals (Cox, P. J., King, L. J. & Parke, D. V.) 13P–14P
Triglycerides, activities of enzymes utilizing monoglycerides, diglycerides and, in muscles from vertebrate and invertebrate animals (Crabtree, B. & Newsholme, E. A.) 697–705
Tri-iodothyronine, effect of, on the transcription of deoxyribonucleic acids of different degrees of redundancy in frog (*Rana pipiens*) tadpoles (Flickinger, R. A. & Roche, F. M.) 319–320
Triose phosphate isomerase, stereochemical structure of disodium DL-glycerol 3-phosphate hexahydrate, the D isomer of which is an inhibitor of (Fenn, R. H. & Marshall, G. E.) 1–10
Tritium isotope (^{3}H), effects of, in the measurement of the glycerol phosphate and dihydroxyacetone phosphate pathways for the biosynthesis of glycerolipids in rat liver (Manning, R. & Brindley, D. N.) 1003–1012
Triturus cristatus carnifex, *see* Newt
Trypsin, pancreatic, ox, modification and removal of the *N*-terminal isoleucine residue of, by transamination (Webster, D. & Offord, R. E.) 315–317
Tryptophan, changes in the activities of enzymes relevant to the control of the metabolism of, in mammals (Curzon, G.) 50P–52P
Tryptophan, inhibition by, of the activities of anthranilate synthase and anthranilate–5-phosphoribosyl 1-pyrophosphate phosphoribosyltransferase from *Aerobacter aerogenes* (Egan, A. F. & Gibson, F.) 847–859
Tryptophan, stimulation by 4-dimethylamino-3′-methylazobenzene and 2-acetamidofluorene of the metabolism of, in the rat (Chalmers, J.·G.) 74P
Tubules, kidney, rat, fragmented, preparation and properties of a suspension of (Dawson, A. G.) 525–532

Ubiquinones, proton translocation coupled to the reduction of, by reduced nicotinamide–adenine dinucleotide in rat liver and ox heart mitochondria (Lawford, H. G. & Garland, P. B.) 1029–1044
[5-^{3}H]Uridine, incorporation of, into ribonucleic acid in the venom gland of the rattlesnake *Crotalus durissus terrificus* after manual extraction of the venom (De Lucca, F. L. & Imaizumi, M. T.) 335–342
Urine, excretion in, of chondroitin 4-sulphate administered to guinea pigs as free chondroitin sulphate and as protein–polysaccharide isolated from cartilage (Revell, P. A. & Muir, H.) 597–606
Urine, identification of metabolites of myricetin and related compounds in, of the rat (Griffiths, L. A. & Smith, G. E.) 141–151
Uterus, rat, early effects of oestradiol-17β on the acetylation of histones in (Libby, P. R.) 663–669
Uterus, rat, early effects of oestradiol-17β on the template capacity of the chromatin and activities of deoxyribonucleic acid-dependent ribonucleic acid polymerases I and II of (Glasser, S. R., Chytil, F. & Spelsberg, T. C.) 947–957

Venom gland, biosynthesis of ribonucleic acid in, of the rattlesnake *Crotalus durissus terrificus* after manual extraction of the venom (De Lucca, F. L. & Imaizumi, M. T.) 335–342
Venom, isolation, properties and amino acid sequence of erabutoxin c, a minor neurotoxic component of, of the sea snake *Laticauda semifasciata* (Tamiya, N. & Abe, H.) 547–555
'Vibrio' O1, *see* Bacterium N.C.I.B. 8250
Virus, polyoma, *see* Polyoma virus
Vitamin A alcohol, *see* Retinol

Wall, cell, *see* Cell wall
Wool keratin, amino acid sequence of protein SCMK-B2A from the high-sulphur fraction of (Elleman, T. C.) 833–845

Xanthine oxidase, spin–spin interaction between molybdenum and one of the iron–sulphur systems of, and its relevance to the enzymic mechanism (Lowe, D. J., Lynden-Bell, R. M. & Bray, R. C.) 239–249
Xenopus laevis, differences in the molecular weights and other properties of ribosomal ribonucleic acids from the newt *Triturus cristatus carnifex* and (Rogers, M. E. & Klein, G.) 281–288
D-Xylose, effects of 5-thio-D-glucose on the transport of D-arabinose and, by rat diaphragm muscle (Whistler, R. L. & Lake, W. C.) 919–925

Yeast (*Candida mycoderma*), activities of fluoro and deoxy analogues of glycerol as substrates and inhibitors of glycerol kinase from (Eisenthal, R., Harrison, R., Lloyd, W. J. & Taylor, N. F.) 199–205

Yeast (*Eremothecium ashbyii*), stimulation by ribitol of flavinogenesis in (Mehta, S. U., Mattoo, A. K. & Modi, V. V.) 159–166

Yeast (*Saccharomyces carlsbergensis* N.C.Y.C. 74S), development of the respiratory chain in, during respiratory adaptation (Cartledge, T. G., Lloyd, D., Erecińska, M. & Chance, B.) 739–747

Yeast (*Saccharomyces cerevisiae* A.T.C.C. 9763), regulation of C_1 metabolism by L-methionine in (Lor, K. L. & Cossins, E. A.) 773–783

Yeast (*Saccharomyces cerevisiae*), effects of oxygen concentration on the growth and metabolism of, grown with an excess or a deficiency of potassium ions in the medium (Bartley, W. & Broomhead, V. M.) 251–258

Zea mays, *see* Maize

Zinc ions, role of, in the transformation of pig lymphocytes by phytohaemagglutinin (Chesters, J. K.) 133–139

Zinc, isolation of a protein containing, from the cat tapetum lucidum (Croft, L. R.) 303–305